

5,65" x 5,65" Matte Box 20 (System I & System II)



CONFIGURATION OVERVIEW – 8.7.0 / 2013.04

ARRI assumes no responsibility with regard to the performance or use of the products or typographical errors or inaccuracies of given information. Product specifications are subject to change without notice. For a full listing of all available components consult the price list.

MB-20 System I - Sets

SET configurations: Many MB-20 assortments are now available in 3-stage versions. The addition of the third stage may however limit wide-angle use. Rear filter ring R2, filter frames F5 and light protection must be ordered separately



MB-20, SET for 15 mm lightweight support (2-Filter Stage), K0.60022.0
Set includes: K2.65027.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65025.0
MB-20, SET for 15 mm lightweight support (3-Filter Stage), K0.60022.A
Set includes: K2.65027.0, K2.65089.0, K2.65028.0, K2.65032.0, K2.65025.0

MB-20, SET for ARRIFLEX 235 side bracket for 19 mm rods (2-Filter Stage), K0.60023.0

Set includes: K2.65027.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65024.0

MB-20, SET for ARRIFLEX 235 side bracket for 19 mm rods (3-Filter Stage), K0.60023.A

Set includes: K2.65027.0, K2.65089.0, K2.65028.0, K2.65032.0, K2.65024.0



MB-20, SET for 19 mm Studio Rods, (2-Filter Stage) K0.60024.0
Set includes: K2.65027.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65025.0, K2.65039.0

MB-20, SET for 19 mm Studio Rods, (3-Filter Stage) K0.60024.A
Set includes: K2.65027.0, K2.65089.0, K2.65028.0, K2.65032.0, K2.65025.0, K2.65039.0



MB-20, SET for 15 mm Studio Rods, (2-Filter Stage) K0.60025.0
Set includes: K2.65027.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65025.0, K2.65040.0

MB-20, SET for 15 mm Studio Rods, (3-Filter Stage) K0.60025.A
Set includes: K2.65027.0, K2.65089.0, K2.65028.0, K2.65032.0, K2.65025.0, K2.65040.0

MB-20 Set for Clamp On, K0.60026.0
Set includes: K2.65027.0, K2.65026.0, K2.65030.0

Clamp on Rings R7 and filter frames must be ordered separately.



MB-20 System II - Sets

SET configurations: Many MB-20 assortments are now available in 3-stage versions. The addition of the third stage may however limit wide-angle use. Rear filter ring R2, filter frames F5 and light protection must be ordered separately



MB-20-System II SET for LWS, with light shields (2-Stage) K0.60030.0
Set includes: K2.47738.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65025.0, K2.47740.0, K0.60029.0

MB-20-System II SET for LWS (2-Stage) K0.60040.0

Set includes: K2.47738.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65025.0

MB-20-System II SET for LWS (3-Stage) K0.60040.A

Set includes: K2.47738.0, K2.65089.0, K2.65028.0, K2.65032.0, K2.65025.0



MB-20-System II SET for 19mm Studio Rods, K0.60044.0

Set includes: K2.47738.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65025.0, K2.66039.0

MB-20-System II SET for 15mm Studio Rods, K0.60045.0

Set includes: K2.47738.0, K2.65026.0, K2.65028.0, K2.65032.0, K2.65025.0, K2.66040.0



MB-20-System II SET for ARRIFLEX 235 side bracket for 19 mm rods (2-Stage) K0.60043.0

Set includes: K2.47738.0, K2.65026.0, K2.65028.0, K2.685032.0, K2.65024.0

no picture

no picture

MB-20 System II Set for Clamp On, K0.60046.0
Set includes: K2.47738.0, K2.65026.0, K2.65030.0

Clamp on Rings R7 and filter frames must be ordered separately.

Light Protection System I



Top or Bottom flag
K2.66019.0
Side flag (pair)
K2.65056.0

Light Protection System II




Top or Bottom flag
K2.47740.0
Side flag (pair)
K0.60029.0

Basic Modules & Accessories



MB-20 basic module System I with sun shade
K2.65027.0



MB-20 basic module System II with sun shade
K2.47738.0



Hard Matte Sets
2/3" Video Format 4:3
K2.47689.0
2/3" Video Format 16:9
K2.47690.0
35 mm Film
K2.47691.0



2-filter stage
K2.65026.0 F5 Filter
3-filter stage
K2.65089.0 F5 Filter
(K2.65028.0 needed)



2-filter stage
K2.65158.0
3-filter stage
K2.65157.0
(for direct use with R1 Rings - for R1 Ring details see Config 8.0.0)



Back 138 mm bellows adapter, K2.65028.0
(for use with R2 Rings - for R2 Ring details see Config 8.0.0)



Clamp-On Adapter
K2.65030.0
(instead of swing away module) fits R7 Rings ø 130 mm see Config 8.0.0



Swing away module
K2.65032.0



Console for lightweight support
K2.65025.0
(requires swingaway module)



Console for 235 side bracket
K2.65024.0
Rod Reduction to 15 mm, K2.47062.0



Studio Console for 19 mm Rods, K2.55031.0
Studio Console for 15 mm Rods, K2.55032.0.
Note: Use Studio Consoles if lens front diameter exceeds 157 mm. Not compatible with lightweight support.



Case for MB-18 / 20
K2.49050.0
with variable dividers



Adapter for 19 mm Rods, K2.66039.0
Adapter for 15 mm Rods, K2.66040.0

F5 Filter frames

4" x 4" Filter frame
K2.65098.0

4" x 6" Filter frame, vertical
K2.66023.0

4" x 5,65" Filter frame, horizontal
K2.65048.0

4" x 5,65" Filter frame, vertical
K2.65049.0

5" x 6" Filter frame, vertical
K2.66024.0

Filter frame combo
4" x 5,65" / 5 x 5, K2.65023.0

5,65" x 5,65" / 5 x 6, K2.65022.0

4" x 5,65" / 4 x 4, K2.65095.0
5,65" x 5,65" / 4 x 5,65" K2.65148.0

for R1, R2 & R7 Ring details see Config 9.0.0.


5,65" x 5,65" Matte Box 20 II (MB-20 System II)



CONFIGURATION OVERVIEW – 8.7.2 / 2013.04

© 2010 Arnold & Richter Cine Technik GmbH & Co. Betriebs KG. All rights reserved. This material is provided "as is" for information purposes only without any warranty. ARRI assumes no responsibility with regard to the performance or use of the products or typographical errors or inaccuracies of given information. Product specifications are subject to change without notice. For a full listing of all available components consult the price list.

Light Protection



Hard Matte Sets
2/3" Video Format 4:3
 K2.47689.0
2/3" Video Format 16:9
 K2.47690.0
35 mm Film
 K2.47691.0

Top flag, K2.47740.0
Bottom flag, K2.47740.0
Side flag (pair), K0.60029.0

F5 Filter frames



4" x 4" Filter frame
 K2.65098.0
4" x 6" Filter frame, vertical
 K2.66023.0
4" x 5,65" Filter frame, horizontal
 K2.65048.0
4" x 5,65" Filter frame, vertical
 K2.65049.0
5" x 6" Filter frame, vertical
 K2.66024.0
Filter frame combo
4" x 5,65" / 5 x 5, K2.65023.0
5,65" x 5,65" / 5 x 6, K2.65022.0
4" x 5,65" / 4 x 4, K2.65095.0
5,65" x 5,65" / 4 x 5,65" K2.65148.0

Carriers & Filter Stages

SET configurations (Many MB-20 assortments are now available in 3-stage versions. The addition of the third stage may however limit wide-angle use). Rear reflex ring and filter trays must be ordered separately:



MB-20-System II complete set for LWS, with light shields (2-Stage) K0.60030.0
Set includes: mattebox components K2.47738.0, K2.65032.0, K2.65028.0, K2.65026.0, K2.65025.0 and light shields K2.47740.0, K0.60029.0.



MB-20-System II complete set for LWS, without light shields (2-Stage) K0.60040.0
Set includes: mattebox components K2.47738.0, K2.65032.0, K2.65028.0, K2.65026.0 (2-filter stage), K2.65025.0



MB-20-System II complete set for LWS, without light shields (3-Stage) K0.60040.A
Set includes: as K2.60040.0 but with K2.65089.0 3-filter stage instead of K2.65026.0



MB-20-System II Set for 19mm Studio Rods, without light shields K0.60044.0
Set includes: As K0.60040.0, plus Adapter for 19mm Studio Rods K2.47101.0.



MB-20-System II Set for 15mm Studio Rods, without light shields K0.60045.0
Set includes: As K0.60040.0, plus Adapter for 15mm Studio Rods K2.47102.0.

R7 Clamp-On Rings

fits in **clamp-on adapters** with \varnothing 130 mm


K2.47688.0 (\varnothing 128 mm) WA (for Fujinon HAe 3 x 5)
 K2.47687.0 (\varnothing 128 mm) (not for Fujinon HAe 3 x 5)
 K2.66064.0 (\varnothing 121 mm)
 K2.47686.0 (\varnothing 120 mm)
 K2.47685.0 (\varnothing 117 mm)
 K2.47684.0 (\varnothing 114 mm)
 K2.47683.0 (\varnothing 110 mm)
 K2.65097.0 (\varnothing 105 mm)
 K2.47682.0 (\varnothing 104 mm)
 K2.66065.0 (\varnothing 103 mm)
 K2.47681.0 (\varnothing 100 mm)
 K2.47680.0 (\varnothing 98 mm)
 K2.47679.0 (\varnothing 96 mm)
 K2.65031.0 (\varnothing 95 mm) WA (for 13 x 4.5 mm Fujinon and 11 x 4.7 mm Canon)
 K2.47678.0 (\varnothing 95 mm) (not for wide angle video zooms)
 K2.47677.0 (\varnothing 92 mm)
 K2.47676.0 (\varnothing 90 mm)
 K2.47675.0 (\varnothing 87 mm) (for Zeiss Vario Sonnar)
 K2.47674.0 (\varnothing 86 mm)
 K2.47673.0 (\varnothing 85 mm)
 K2.47672.0 (\varnothing 80 mm)-HS (for Zeiss Super Speed Lenses)
 K2.47671.0 (\varnothing 80 mm) (for Video Lenses)

R2 Rings 143 mm

fits in filter stages with \varnothing 143 mm



138 mm filter ring
 K2.47222.0* (\varnothing 100 mm)



Adapter ring 143-128 with screws - allows to use of R3 rings, K2.66086.0 → **all R3 Rings**




Large Diameter Wide-Angle Light Trap Rings (not for clamp on ring) reducing diameter from 143 mm to listed diameter
 K2.65245.0 (\varnothing 134 mm)
 K2.65073.0 (\varnothing 132 mm)
 K2.65072.0 (\varnothing 130 mm)
 K2.65090.0 (\varnothing 128 mm)*
 *for Fujinon 3 x 5 HAe Super Zoom)
 K2.65071.0 (\varnothing 128 mm)*
 *not for Fujinon 3 x 5 HAe Super Zoom)
 K2.65123.0 (\varnothing 121 mm)
 K2.65070.0 (\varnothing 120 mm)
 K2.65069.0 (\varnothing 117 mm)
 K2.65250.0 (Panasonic 3DA1)




4 1/2" (114 mm) filter ring
 K2.52205.0 (\varnothing 114 mm)
 K2.49102.0 (\varnothing 95 mm)
 K2.49109.0 (\varnothing 87 mm)



4 1/2" (114 mm) filter ring for tight installation situations
 K2.66067.0 (\varnothing 114 mm)



Adapter Ring
 Screws into R1 or R2 138mm round filter and reduces to 114 mm (4 1/2")
 K2.49099.0



138 mm filter ring
 K2.52204.0 (\varnothing 114 mm)

138 mm filter ring
 K2.47190.0 (\varnothing 114 mm) (wide angle; internal focus lenses only)

R5 Screw-In Rings 100 mm

Reduction rings (R5 | 100 mm)
 K2.47224.0 (\varnothing 95 mm)
 K2.65029.0 (\varnothing 95 mm WA) (WA = wide angle)
 K2.65054.0 (\varnothing 92 mm)
 K2.65040.0 (\varnothing 90 mm)
 K2.47225.0 (\varnothing 87 mm)
 K2.65039.0 (\varnothing 86 mm)
 K2.65147.0 (\varnothing 85 mm WA)
 K2.65038.0 (\varnothing 85 mm)
 K2.65043.0 (\varnothing 80 mm)

R6 Screw-In Rings 87 mm


Reduction ring (R6 | 87 mm)
 K2.47226.0 (\varnothing 80 mm)

R4 Screw-In Rings 114 mm

Reduction rings (R4 | 114 mm)
 K2.65045.0 (\varnothing 110 mm)
 K2.65096.0 (\varnothing 105 mm)
 K2.52195.0 (\varnothing 104 mm)
 K2.66066.0 (\varnothing 103 mm)
 K2.65046.0 (\varnothing 100 mm)
 K2.65044.0 (\varnothing 98 mm)
 K2.65055.0 (\varnothing 96 mm)
 K2.65271.0 (\varnothing 95 mm)
 K2.65273.0 (\varnothing 95 mm WA)
 K2.65156.0 (\varnothing 94 mm)
 K2.65201.0 (\varnothing 93 mm)
 K2.65163.0 (\varnothing 91 mm)
 K2.65164.0 (\varnothing 89 mm)
 K2.65272.0 (\varnothing 87 mm)
 K2.65166.0 (\varnothing 85 mm)
 K2.65232.0 (\varnothing 82 mm)
 K2.65229.0 (\varnothing 81 mm)
 K2.65165.0 (\varnothing 80 mm)

Basic Modules & Accessories


all accessories compatible to MB-20 System I (except: Basic Module K2.47738.0)




MB-20 System II Basic Module with Sunshade
 K2.47738.0




2-filter stage
 K2.65026.0
3-filter stage
 K2.65089.0 (K2.65028.0 needed)



Back 138 mm bellows adapter
 K2.65028.0 (for use with R2 Rings)



Swing away module
 K2.65032.0



Console for lightweight support
 K2.65025.0 (requires swingaway module)



2-filter stage
 K2.65158.0




Clamp-On Adapter
 K2.65030.0 (instead of swing away module)



Console for 235 side bracket
 K2.65024.0



Case for MB-18 / 20
 K2.49050.0 with variable dividers



Adapter for 19 mm Rods
 K2.66039.0

3-filter stage
 K2.65157.0 (for direct use with R1 Rings - for R1 Ring details see Config 8.0.0.)

Rod Reduction to 15 mm, K2.47062.0

Adapter for 15 mm Rods
 K2.66040.0

CAUTION: RINGS CAN VIGNETTE. PLEASE CONTACT ARRI.

\varnothing = diameter of connection ring to lens

* discontinued items, only as long as stock is available

R1 Rings 165 mm

fits in filter stages with \varnothing 165 mm

Adapter ring (R1-R3)
reduces from 6" to 4½"
allows use of R3 filter rings
128 mm, K2.42304.0

Reducer Ring for 138mm Filter Rings
Snap in Reducer Ring
K2.66033.0
from 165mm-143 mm
for use of R2 Rings (R1-R2)

6" Reflex prevention ring
(with rubber sleeve)
K2.45505.0 (\varnothing 156 mm)
K2.44366.0 (\varnothing 150 mm)
K2.66165.0 (\varnothing 136 mm)
K2.66113.0 (\varnothing 134 mm)

Adapter Ring
Screws into R1 or R2 138mm round filter
and reduces to 114 mm (4½")
K2.49099.0

138 mm filter ring
K2.34784.0 (\varnothing 161 mm)
K2.34260.0 (\varnothing 125 mm)
K2.34260.C (\varnothing 124 mm)
K2.52194.0 (\varnothing 114 mm)
K2.47342.0 (\varnothing 95 mm)
K2.34290.0 (\varnothing 87 mm)
K2.34786.0 (\varnothing 80 mm)

Intermediate ring
K2.34131.0
(for K2.34786.0
for physically short lenses)

6" filter ring
(with rubber sleeve)
K2.52197.0 (\varnothing 114 mm)
K2.34250.0 (\varnothing 144 mm)
K2.66057.0 (\varnothing 150 mm)

R2 Rings 143 mm

fits in filter stages with \varnothing 143 mm

138 mm filter ring
K2.47222.0* (\varnothing 100 mm)

Adapter ring 143-128
with screws - allows to use
of R3 rings, K2.66086.0

Large Diameter Wide-Angle Light Trap Rings (not for clamp on ring)
reducing diameter from 143 mm to listed diameter
K2.65245.0 (\varnothing 134 mm)
K2.65073.0 (\varnothing 132 mm)
K2.65072.0 (\varnothing 130 mm)
K2.65090.0 (\varnothing 128 mm)*
*for Fujinon 3 x 5 HAe Super Zoom
K2.65071.0 (\varnothing 128 mm)*
*not for Fujinon 3 x 5 HAe Super Zoom
K2.65123.0 (\varnothing 121 mm)
K2.65070.0 (\varnothing 120 mm)
K2.65069.0 (\varnothing 117 mm)
K2.65250.0 (Panasonic 3DA1)

138 mm filter ring
K2.52204.0 (\varnothing 114 mm)

138 mm filter ring
K2.47190.0 (\varnothing 114 mm)
(wide angle; internal focus
lenses only)

Adapter Ring
Screws into R1 or R2 138mm round filter
and reduces to 114 mm (4½")
K2.49099.0

R3 Rings 128 mm

fits in filter stages with \varnothing 128 mm

all R3 Rings

all R3 Rings

4½" (114 mm) filter ring
K2.52205.0 (\varnothing 114 mm)
K2.49102.0 (\varnothing 95 mm)
K2.49109.0 (\varnothing 87 mm)

4½" (114 mm) filter ring
for tight installation situations
K2.66067.0 (\varnothing 114 mm)

R5 Screw-In Rings 100 mm

Reduction rings (R5 | 100 mm)
K2.47224.0 (\varnothing 95 mm)
K2.65029.0 (\varnothing 95 mm WA)
(WA =wide angle)
K2.65054.0 (\varnothing 92 mm)
K2.65040.0 (\varnothing 90 mm)
K2.47225.0 (\varnothing 87 mm)
K2.65039.0 (\varnothing 86 mm)
K2.65147.0 (\varnothing 85 mm WA)
K2.65038.0 (\varnothing 85 mm)
K2.65043.0 (\varnothing 80 mm)

R6 Screw-In Rings 87 mm

Reduction ring (R6 | 87 mm)
K2.47226.0 (\varnothing 80 mm)

R4 Screw-In Rings 114 mm

Reduction rings (R4 | 114 mm)
K2.65045.0 (\varnothing 110 mm)
K2.65096.0 (\varnothing 105 mm)
K2.52195.0 (\varnothing 104 mm)
K2.66066.0 (\varnothing 103 mm)
K2.65046.0 (\varnothing 100 mm)
K2.65044.0 (\varnothing 98 mm)
K2.65055.0 (\varnothing 96 mm)
K2.65271.0 (\varnothing 95 mm)
K2.65273.0 (\varnothing 95 mm WA)
K2.65156.0 (\varnothing 94 mm)
K2.65201.0 (\varnothing 93 mm)
K2.65163.0 (\varnothing 91 mm)
K2.65164.0 (\varnothing 89 mm)
K2.65272.0 (\varnothing 87 mm)
K2.65166.0 (\varnothing 85 mm)
K2.65232.0 (\varnothing 82 mm)
K2.65229.0 (\varnothing 81 mm)
K2.65165.0 (\varnothing 80 mm)

R8 Screw-In Rings 150 mm

Reduction rings (R8 | 150 mm)
K2.66060.0 (\varnothing 142 mm)
K2.66059.0 (\varnothing 136 mm)
K2.66058.0 (\varnothing 134 mm)
K2.66061.0 (\varnothing 132 mm)
K2.66073.0 (\varnothing 130 mm)
K2.66074.0 (\varnothing 128 mm)
K2.66075.0 (\varnothing 125 mm)
K2.66076.0 (\varnothing 121 mm)
K2.66077.0 (\varnothing 120 mm)
K2.66078.0 (\varnothing 117 mm)
K2.66095.0 (\varnothing 114 mm)

R9 Clamp-On Adapter Rings

K2.66098.0 (\varnothing 143-138mm)
K2.66097.0 (\varnothing 143-130mm)
K2.66222.0 (\varnothing 143-114mm) → see all MMB-2 Rings Config 8.1.1
K2.66082.0 (\varnothing 138-130mm)

R7 Clamp-On Rings 130 mm

fits in clamp-on adapters with \varnothing 130 mm

K2.47688.0 (\varnothing 128 mm) WA (for Fujinon HAe 3 x 5)
K2.47687.0 (\varnothing 128 mm) (not for Fujinon HAe 3 x 5)
K2.66064.0 (\varnothing 121 mm)
K2.47686.0 (\varnothing 120 mm)
K2.47685.0 (\varnothing 117 mm)
K2.47684.0 (\varnothing 114 mm)
K2.47683.0 (\varnothing 110 mm)
K2.65097.0 (\varnothing 105 mm)
K2.47682.0 (\varnothing 104 mm)
K2.66065.0 (\varnothing 103 mm)
K2.47681.0 (\varnothing 100 mm)
K2.47680.0 (\varnothing 98 mm)
K2.47679.0 (\varnothing 96 mm)
K2.65031.0 (\varnothing 95 mm) WA (for 13 x 4.5 mm Fujinon and 11 x 4.7 mm Canon) (not for wide angle video zooms)
K2.47678.0 (\varnothing 95 mm)
K2.47677.0 (\varnothing 92 mm)
K2.47676.0 (\varnothing 90 mm)
K2.47675.0 (\varnothing 87 mm) (for Zeiss Vario Sonnar)
K2.47674.0 (\varnothing 86 mm)
K2.47673.0 (\varnothing 85 mm)
K2.47672.0 (\varnothing 80 mm)-HS (for Zeiss Super Speed Lenses)
K2.47671.0 (\varnothing 80 mm) (for Video Lenses)

R10 Clamp-On Rings 138 mm

fits in clamp-on adapters with \varnothing 138 mm

K2.66048.0 (\varnothing 94 mm) Sony EX 1
K2.65195.0 (\varnothing 94 mm) Canon XL-H1
K2.65200.0 (\varnothing 91 mm) Sony Z 7
K2.65194.0 (\varnothing 93 mm) Sony HVR-Z5/HXR-NX5
K2.65193.0 (\varnothing 89 mm) Sony Z1 / Sony FX1
K2.65196.0 (\varnothing 86 mm) Panasonic HVX200
K2.65199.0 (\varnothing 80 mm) Sony HVR-V1
K2.65197.0 (\varnothing 75,5 mm) Panasonic HPX171

R11 Clamp-On Rings 143 mm

fits in clamp-on adapters with \varnothing 143 mm

K2.65218.0 (\varnothing 143-142 mm) for Red Zoom 18-85
K2.66122.0 (\varnothing 143-136 mm) for Angenieux Optimo 17-80
K2.66114.0 (\varnothing 143-134 mm) for ARRI/Fujinon ALURA Zooms
K2.65250.0 (\varnothing 143-1Pan 3DA1)

R12 Clamp-On Rings 156 mm

fits in filter stage with \varnothing 156 mm (LMB-4A)

K2.65243.0 (150 mm) for Cooke 25-250 & 18-100
K2.66123.0 (136 mm)
K2.47635.0 (134 mm) for UP 8R, MP 150, Diopters, Alura
K2.65084.0 (114 mm) MP, UP14, UP180, MM100
K2.66245.0 (114 mm) for Canon CN-E 14mm

\varnothing = diameter of connection ring to lens

CAUTION: RINGS CAN VIGNETTE. PLEASE CONTACT ARRI.

Filter Frames




CONFIGURATION OVERVIEW – 9.1.0 / 2013.04

© 2010 Arnold & Richter Cine Technik GmbH & Co. Betriebs KG. All rights reserved. This material is provided "as is" for information purposes only without any warranty. ARRI assumes no responsibility with regard to the performance or use of the products or typographical errors or inaccuracies of given information. Product specifications are subject to change without notice. For a full listing of all available components consult the price list.

F1 Filter Frames


use for MB-14, MB-28, LMB-4A, LMB-6



Filter Frame 6.6"x6.6"
non geared for MB-14
K4.47074.0



Filter Frame 6.6"x6.6"
geared for MB-14 only
K4.47076.0



Filter Frame 5.65"x5.65"
non geared,
K2.66063.0

to be used with
MB-14 / MB-28 Stages


(for Stage K2.422993.0 use F6)
MB-28 Filter Stage K2.66031.0
(for Stage K2.66032.0 use F5)



Filter Frame 6.6"x6.6"
special shape for MB-28
K2.66026.0




Filter Frame 6.6"x6.6"
special shape for LMB-4A /
LMB-6, K4.34685.0




**Reducer Frame from
6.6"x6.6" to 4"x5.65"**
for horizontal or vertical use
K2.66038.0

F2 Filter Frames

use for MB-18




Filter Frame 4"x5.65"
non geared, vertical
K4.47814.0




Filter Frame 4"x5.65"
geared, vertical
K4.47815.0




Filter Frame 4"x5.65"
non geared, horizontal
K2.49083.0




Filter Frame 4"x5.65"
geared, horizontal
K2.49096.0




Filter Frame 4"x4"
non geared
K2.47185.0



Filter Frame 4"x4"
geared
K2.47186.0




Filter Frame 4"x6"
geared
K2.49027.0



Filter Frame round
for 138mm
K2.49023.0

F3 Filter Frames

use for MB-16



Filter Frame 4"x4"
non geared
K4.47070.0



Filter Frame 4"x5.65"
geared, vertical
K2.41897.0

F4 Filter Frames

use for MMB-1, MMB-2, LMB-25, MB-29




Filter Frame 4"x4"
side load, K2.66072.0




Filter Frame 4"x5.65"
with open corners
side load, K2.66046.0



Filter Frame 4"x5.65"
with closed corners
side load, K2.66053.0



Filter Frame 5.65"x5.65"
K2.66036.0




**Filter Frame Combo
4"x5.65"/4"x4"**
K2.66133.0

F4 Filter Frames


use for MMB-1, MMB-2, LMB-25, MB-29



**Filter Frame Combo
4"x4"/4.5" round**
for MMB-2 Basic
K2.66128.0



Filter Frame 4"x4"
K2.47104.0




Filter Frame 4"x5.65"
K2.47669.0



Filter Frame 5"x5"
K2.65183.0




Filter Frame 4"x5.65 "
vertical
K4.47493.0



Filter Frame 4"x4"
K2.47105.0




**Filter Frame Combo
4"x5.65"/4"x4"**
K2.65230.0



**Filter Frame Combo
4"x5.65"/5"x5"**
K2.66037.0

F5 Filter Frames


use for MB-20 / MB-28 Stage K2.66032.0



Filter Frame 4"x4"
K2.65098.0



Filter Frame 4"x5.65"
vertical,
K2.65049.0




Filter Frame 4"x5.65"
horizontal,
K2.65048.0




Filter Frame 5"x6"
vertical,
K2.66024.0



Filter Frame 4"x6"
vertical,
K2.66023.0




**Filter Frame Combo
4"x5.65"/4"x4"**
horizontal,
K2.65095.0




**Filter Frame Combo
5.65"x5.65"/5"x6"**
horizontal,
K2.65022.0

F5 Filter Frames

use for MB-20 / MB-28 Stage K2.66032.0



**Filter Frame Combo
4"x5.65"/5"x5"**
K2.65023.0




**Filter Frame Combo
5.65"x5.65"/4"x5.65"**
vertical,
K2.65148.0



**Filter Frame
4"x5.65"**
for 16x9 Wide-Angle
K2.66005.0

F6 Filter Frames

only for MB-14 filter stage K2.42293.0



Filter Frame 4"x4"
K4.32902.0