



# Depth of field tables in feet

for

## Ultra Prime® Lenses

Please choose the lens.

→ Distagon® T*	2.0/10
→ Distagon® T*	1.9/12
→ Distagon® T*	1.7/14
→ Distagon® T*	1.7/16
→ Distagon® T*	1.7/20
→ Distagon® T*	1.7/24
→ Distagon® T*	1.7/28
→ Distagon® T*	1.7/32
→ Distagon® T*	1.7/40
→ Planar® T*	1.7/50
→ Planar® T*	1.7/65
→ Planar® T*	1.7/85
→ Sonnar® T*	1.7/100
→ Sonnar® T*	1.7/135
→ Sonnar® T*	1.8/180



## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 2.0/10

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	2.20		2.83		4.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	7' 8 3/4"	inf	6' 2 1/2"	inf	6' 3 1/2"	inf
30'	6' 3 3/4"	inf	5' 3 1/4"	inf	5' 4"	inf
15'	5' 4"	inf	4' 7"	inf	4' 7 1/2"	inf
10'	4' 7 1/4"	inf	4' 0 3/4"	inf	4' 1"	inf
9'	4' 5"	inf	3' 11"	inf	3' 11 1/4"	inf
8'	4' 2 1/4"	inf	3' 8 3/4"	inf	3' 9 1/4"	inf
7'	3' 11"	63' 11 1/4"	3' 6 1/2"	inf	3' 6 3/4"	inf
6'	3' 7 1/2"	23' 4 3/4"	3' 3 1/2"	1051' 9 1/2"	3' 3 3/4"	inf
5' 1/2"	3' 5 1/2"	16' 8"	3' 2"	52' 10 1/4"	3' 2 1/4"	inf
5'	3' 3 1/4"	12' 4 3/4"	3' 0 1/4"	24' 8 3/4"	3' 0 1/4"	inf
4' 1/2"	3' 1"	9' 5 1/4"	2' 10 1/4"	15' 0"	2' 10 1/4"	inf
4'	2' 10 1/4"	7' 3 1/2"	2' 8"	10' 0 3/4"	2' 8 1/4"	inf
3' 1/2"	2' 7 1/2"	5' 7 1/2"	2' 5 1/2"	7' 0 3/4"	2' 5 3/4"	6759' 0 1/2"
3'	2' 4 1/4"	4' 4"	2' 2 3/4"	5' 0 3/4"	2' 3"	15' 6 1/4"
2' 3/4"	2' 2 1/2"	3' 9 1/4"	2' 1 1/4"	4' 3 1/2"	2' 1 1/2"	9' 6 1/4"
2' 1/2"	2' 0 3/4"	3' 3 1/4"	1' 11 3/4"	3' 7 3/4"	1' 11 3/4"	6' 6 1/4"
2' 1/4"	1' 11"	2' 9 3/4"	1' 10"	3' 0 3/4"	1' 10"	4' 8 1/2"
2'	1' 9"	2' 4 3/4"	1' 8 1/4"	2' 6 3/4"	1' 8 1/4"	3' 6"
1' 3/4"	1' 6 3/4"	2' 0 1/4"	1' 6 1/4"	2' 1 1/2"	1' 6 1/4"	2' 7 3/4"
1' 1/2"	1' 4 1/2"	1' 8"	1' 4 1/4"	1' 8 3/4"	1' 4 1/4"	2' 0"
1' 1/4"	1' 2 1/4"	1' 4"	1' 2"	1' 4 1/2"	1' 2"	1' 6"



Entfernung/ Distance [feet]	T / Aperture					
	5.66		8.00		11.31	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	5' 2 1/2"	inf	3' 7"	inf	2' 5 1/4"	inf
30'	4' 6 3/4"	inf	3' 3 1/2"	inf	2' 4"	inf
15'	4' 0 3/4"	inf	3' 0 1/2"	inf	2' 2 1/2"	inf
10'	3' 7 3/4"	inf	2' 10"	inf	2' 1 1/4"	inf
9'	3' 6 1/4"	inf	2' 9 1/4"	inf	2' 1"	inf
8'	3' 4 3/4"	inf	2' 8 1/4"	inf	2' 0 1/2"	inf
7'	3' 2 3/4"	inf	2' 7"	inf	2' 0"	inf
6'	3' 0 1/2"	inf	2' 5 3/4"	inf	1' 11 1/4"	inf
5'1/2"	2' 11"	inf	2' 5"	inf	1' 10 3/4"	inf
5'	2' 9 1/2"	inf	2' 4"	inf	1' 10 1/4"	inf
4'1/2"	2' 8"	inf	2' 3"	inf	1' 9 3/4"	inf
4'	2' 6"	inf	2' 1 3/4"	inf	1' 9"	inf
3'1/2"	2' 4"	inf	2' 0 1/4"	inf	1' 8 1/4"	inf
3'	2' 1 1/2"	inf	1' 10 1/2"	inf	1' 7"	inf
2'3/4"	2' 0 1/4"	inf	1' 9 1/2"	inf	1' 6 1/2"	inf
2'1/2"	1' 10 3/4"	inf	1' 8 1/2"	inf	1' 5 3/4"	inf
2'1/4"	1' 9 1/4"	15' 8 1/4"	1' 7 1/4"	inf	1' 5"	inf
2'	1' 7 1/2"	6' 8 3/4"	1' 6"	inf	1' 4 1/4"	inf
1'3/4"	1' 5 3/4"	3' 11"	1' 4 3/4"	9' 11 1/2"	1' 3"	inf
1'1/2"	1' 4"	2' 6 1/4"	1' 3"	3' 9 1/2"	1' 2"	14' 4"
1'1/4"	1' 1 3/4"	1' 8 1/2"	1' 1 1/4"	2' 1"	1' 0 1/2"	2' 11 3/4"

Entfernung/ Distance [feet]	T / Aperture			
	16.00		22.63	
	von / from	bis / to	von / from	bis / to
inf	1' 9"	inf	1' 3 3/4"	inf
30'	1' 8 1/4"	inf	1' 3 1/2"	inf
15'	1' 7 3/4"	inf	1' 3 1/4"	inf
10'	1' 7 1/4"	inf	1' 3"	inf
9'	1' 7"	inf	1' 3"	inf
8'	1' 6 3/4"	inf	1' 2 3/4"	inf
7'	1' 6 1/2"	inf	1' 2 3/4"	inf
6'	1' 6"	inf	1' 2 1/2"	inf
5'1/2"	1' 6"	inf	1' 2 1/2"	inf
5'	1' 5 3/4"	inf	1' 2 1/4"	inf
4'1/2"	1' 5 1/4"	inf	1' 2"	inf
4'	1' 5"	inf	1' 2"	inf
3'1/2"	1' 4 1/2"	inf	1' 1 3/4"	inf
3'	1' 4"	inf	1' 1 1/4"	inf
2'3/4"	1' 3 1/2"	inf	1' 1 1/4"	inf
2'1/2"	1' 3 1/4"	inf	1' 1"	inf
2'1/4"	1' 2 3/4"	inf	1' 0 3/4"	inf
2'	1' 2"	inf	1' 0 1/4"	inf
1'3/4"	1' 1 1/2"	inf	1' 0"	inf
1'1/2"	1' 0 1/2"	inf	0' 11 1/4"	inf
1'1/4"	0' 11 1/2"	10' 8 1/2"	0' 10 3/4"	inf



## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 1.9/12

Arri35 Ultra Prime

#### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	2.03		2.83		4.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	16' 10 1/4"	inf	9' 11 1/4"	inf	8' 8 1/4"	inf
30'	11' 1/4"	inf	7' 7 3/4"	inf	6' 10 3/4"	inf
15'	8' 2"	inf	6' 2 1/2"	inf	5' 8 3/4"	inf
10'	6' 6"	inf	5' 2 3/4"	inf	4' 10 3/4"	inf
8'	5' 7 1/2"	76' 1 3/4"	4' 8"	inf	4' 4 3/4"	inf
6'	4' 7 1/4"	16' 9"	3' 11 1/2"	35' 4"	3' 9 1/4"	inf
5'	4' 0 1/4"	10' 3 3/4"	3' 6 1/2"	15' 0"	3' 4 3/4"	inf
4' 1/2"	3' 8 1/2"	8' 2 3/4"	3' 3 3/4"	10' 10 1/4"	3' 2 1/4"	481' 10 1/4"
4'	3' 4 1/2"	6' 6 3/4"	3' 0 1/2"	8' 0 3/4"	2' 11 1/4"	27' 1 1/2"
3' 1/2"	3' 0 1/4"	5' 2 1/2"	2' 9 1/4"	6' 0 3/4"	2' 8 1/4"	12' 3 1/4"
3'	2' 8"	4' 1"	2' 5 3/4"	4' 6 3/4"	2' 5"	7' 1 1/2"
2' 1/2"	2' 3 1/4"	3' 1 3/4"	2' 1 3/4"	3' 4 3/4"	2' 1 1/4"	4' 6"
2' 1/4"	2' 1"	2' 8 3/4"	1' 11 3/4"	2' 10 3/4"	1' 11 1/4"	3' 7 1/4"
2'	1' 10 1/2"	2' 4"	1' 9 1/2"	2' 5 1/2"	1' 9 1/4"	2' 10 3/4"
1' 3/4"	1' 8"	1' 11 3/4"	1' 7 1/4"	2' 0 1/2"	1' 7"	2' 3 3/4"
1' 1/2"	1' 5 1/4"	1' 7 3/4"	1' 4 3/4"	1' 8 1/4"	1' 4 3/4"	1' 10"
1' 1/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"	1' 2 1/4"	1' 5"
1'	0' 11 3/4"	1' 1/2"	0' 11 3/4"	1' 0 1/2"	0' 11 3/4"	1' 1"

Entfernung/ Distance [m]	T / Aperture					
	5.66		8.00		11.31	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	6' 6 3/4"	inf	4' 4 1/2"	inf	2' 11 3/4"	inf
30'	5' 6 1/4"	inf	3' 11"	inf	2' 9 1/2"	inf
15'	4' 9 1/4"	inf	3' 6 3/4"	inf	2' 7 1/2"	inf
10'	4' 2 1/4"	inf	3' 3"	inf	2' 5 1/2"	inf
8'	3' 10"	inf	0' 1/2"	inf	2' 4 1/4"	inf
6'	3' 4 1/2"	inf	2' 9 1/4"	inf	2' 2 1/2"	inf
5'	3' 1"	inf	2' 7"	inf	2' 1"	inf
4' 1/2"	2' 10 3/4"	inf	2' 5 1/2"	inf	0' 0 1/4"	inf
4'	2' 8 1/2"	inf	2' 4"	inf	1' 11 1/4"	inf
3' 1/2"	2' 6"	inf	2' 2 1/4"	inf	1' 10 1/4"	inf
3'	2' 3 1/4"	26' 7 1/4"	2' 0 1/4"	inf	1' 8 3/4"	inf
2' 1/2"	2' 0"	7' 9 1/4"	1' 9 3/4"	94' 0"	1' 7 1/4"	inf
2' 1/4"	1' 10 1/4"	5' 3 3/4"	1' 8 1/2"	12' 9 3/4"	1' 6 1/4"	inf
2'	1' 8 1/4"	3' 9 3/4"	1' 7"	6' 2 1/2"	1' 5 1/4"	103' 3 1/2"
1' 3/4"	1' 6 1/2"	2' 9 1/2"	1' 5 1/4"	3' 9"	1' 4"	7' 7 1/4"
1' 1/2"	1' 4 1/4"	2' 1"	1' 3 1/2"	2' 5 3/4"	1' 2 1/2"	3' 5 1/2"
1' 1/4"	1' 2"	1' 6 1/2"	1' 1 1/2"	1' 8 1/2"	1' 0 3/4"	2' 0"
1'	0' 11 1/2"	1' 1 1/2"	0' 11 1/4"	1' 2"	0' 11"	1' 3"



Entfernung/ Distance [m]	T / Aperture			
	16.00		22.63	
	von / from	bis / to	von / from	bis / to
inf	2' 1 1/4"	inf	1' 6 3/4"	inf
30'	2' 0 1/4"	inf	1' 6 1/4"	inf
15'	1' 11 1/4"	inf	1' 6"	inf
10'	1' 10 1/2"	inf	1' 5 1/2"	inf
8'	1' 9 3/4"	inf	1' 5 1/4"	inf
6'	1' 8 3/4"	inf	1' 4 3/4"	inf
5'	1' 8 1/4"	inf	1' 4 1/4"	inf
4' 1/2"	1' 7 3/4"	inf	1' 4"	inf
4'	1' 7 1/4"	inf	1' 3 3/4"	inf
3' 1/2"	1' 6 1/2"	inf	1' 3 1/4"	inf
3'	1' 5 3/4"	inf	1' 3"	inf
2' 1/2"	1' 4" 1/2"	inf	1' 2 1/4"	inf
2' 1/4"	1' 4"	inf	1' 1 3/4"	inf
2'	1' 3 1/4"	inf	1' 1 1/2"	inf
1' 3/4"	1' 2 1/4"	inf	1' 0 3/4"	inf
1' 1/2"	1' 1 1/4"	9' 1 1/2"	1' 0"	inf
1' 1/4"	1' 0"	2' 9 1/4"	0' 11 1/4"	8' 1 1/2"
1'	0' 10 1/2"	1' 5"	0' 10"	1' 9 1/2"

## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 1.7/14

Arri35 Ultra Prime

#### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	16' 1 3/4"	inf	14' 6 1/4"	inf	11' 7 3/4"	inf
12'	7' 1"	44' 5 1/2"	6' 9 1/4"	41' 11 1/4"	6' 1 1/2"	inf
6'	4' 6 1/2"	9' 1"	4' 5"	8' 11 3/4"	4' 1 3/4"	12' 3 3/4"
5'	3' 11 1/2"	6' 10 3/4"	3' 10 1/2"	6' 10"	3' 8"	8' 6 1/2"
4'	3' 4"	5' 0 3/4"	3' 3 1/4"	5' 0 1/2"	3' 1 1/2"	5' 10 1/4"
3' 1/2"	3' 0"	4' 3"	2' 11 1/4"	4' 2 3/4"	2' 10"	4' 9 1/2"
3'	2' 7 1/2"	3' 6 1/4"	2' 7 1/4"	3' 6"	2' 6 1/4"	3' 10 1/4"
2' 3/4"	2' 5 1/4"	3' 2"	2' 5"	3' 1 3/4"	2' 4 1/4"	3' 5"
2' 1/2"	2' 3"	2' 9 3/4"	2' 2 3/4"	2' 9 3/4"	2' 2"	3' 0 1/4"
2' 1/4"	2' 0 3/4"	2' 6"	2' 0 1/2"	2' 5 3/4"	2' 0"	2' 7 3/4"
2'	1' 10 1/4"	2' 2 1/4"	1' 10"	2' 2"	1' 9 3/4"	2' 3 1/2"
1' 3/4"	1' 7 3/4"	1' 10 1/2"	1' 7 1/2"	1' 10 1/2"	1' 7 1/4"	1' 11 1/4"
1' 1/2"	1' 5 1/4"	1' 7"	1' 5"	1' 7"	1' 4 3/4"	1' 7 1/2"
1' 1/4"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 1/2"	1' 2 1/4"	1' 4"
1'	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/2"
0' 3/4"	0' 9"	0' 9"	0' 9"	0' 9"	0' 9"	0' 9 1/4"

Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	10' 10 3/4"	inf	8' 6 1/4"	inf	5' 9 3/4"	inf
12'	5' 11"	inf	5' 2 1/4"	inf	4' 1 1/4"	inf
6'	4' 0 3/4"	60' 6"	3' 8 1/2"	inf	3' 2"	inf
5'	3' 7 1/4"	18' 4 3/4"	3' 4"	inf	2' 10 3/4"	inf
4'	3' 1"	9' 0"	2' 10 3/4"	26' 1 1/4"	2' 6 3/4"	inf
3' 1/2"	2' 9 1/2"	6' 7 1/4"	2' 7 3/4"	12' 3 3/4"	2' 4 1/2"	inf
3'	2' 5 3/4"	4' 10 1/2"	2' 4 1/2"	7' 2 3/4"	2' 2"	17' 6"
2' 3/4"	2' 3 3/4"	4' 2 1/4"	2' 2 3/4"	5' 8 3/4"	2' 0 1/2"	10' 5 1/4"
2' 1/2"	2' 1 3/4"	3' 6 3/4"	2' 0 3/4"	4' 7 1/4"	1' 11"	7' 0 1/2"
2' 1/4"	1' 11 3/4"	3' 0 1/2"	1' 11"	3' 8 1/2"	1' 9 1/2"	5' 0 1/2"
2'	1' 9 1/2"	2' 6 3/4"	1' 8 3/4"	2' 11 3/4"	1' 7 3/4"	3' 8 3/4"
1' 3/4"	1' 7 1/4"	2' 1 1/2"	1' 6 3/4"	2' 4 1/2"	1' 5 3/4"	2' 9 1/2"
1' 1/2"	1' 4 3/4"	1' 8 3/4"	1' 4 1/2"	1' 10 1/2"	1' 3 3/4"	2' 1 1/4"
1' 1/4"	1' 2 1/4"	1' 4 1/2"	1' 2"	1' 5 1/2"	1' 1 3/4"	1' 6 3/4"
1'	0' 11 1/2"	1' 0 3/4"	0' 11 1/2"	1' 1 1/4"	0' 11 1/4"	1' 1 3/4"
0' 3/4"	0' 8 3/4"	0' 9 1/4"	0' 8 3/4"	0' 9 1/4"	0' 8 3/4"	0' 9 1/2"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	3' 11"	inf	2' 8 3/4"	inf	1' 11 1/2"	inf
12'	3' 1 1/4"	inf	2' 4"	inf	1' 9 1/4"	inf
6'	2' 6 3/4"	inf	2' 0 1/2"	inf	1' 7 1/2"	inf
5'	2' 4 3/4"	inf	1' 11 1/4"	inf	1' 6 3/4"	inf
4'	2' 2 1/4"	inf	1' 9 3/4"	inf	1' 6"	inf
3' 1/2"	2' 0 3/4"	inf	1' 8 3/4"	inf	1' 5 1/4"	inf
3'	1' 10 3/4"	inf	1' 7 1/2"	inf	1' 4 1/2"	inf
2' 3/4"	1' 9 3/4"	inf	1' 6 3/4"	inf	1' 4"	inf
2' 1/2"	1' 8 3/4"	26' 1 3/4"	1' 6"	inf	1' 3 1/2"	inf
2' 1/4"	1' 7 1/2"	10' 0 1/2"	1' 5 1/4"	inf	1' 3"	inf
2'	1' 6"	5' 8 1/4"	1' 4 1/4"	27' 2 1/2"	1' 2 1/4"	inf
1' 3/4"	1' 4 1/2"	3' 8"	1' 3"	6' 10 1/2"	1' 1 1/2"	inf
1' 1/2"	1' 3"	2' 6"	1' 1 3/4"	3' 5 3/4"	1' 0 1/2"	9' 1"
1' 1/4"	1' 1"	1' 9"	1' 0 1/4"	2' 1"	0' 11 1/2"	2' 11 3/4"
1'	0' 11"	1' 2 1/2"	0' 10 1/2"	1' 3 3/4"	0' 10"	1' 6 1/4"
0' 3/4"	0' 8 3/4"	0' 9 3/4"	0' 8 1/2"	0' 10"	0' 8 1/4"	0' 10 1/2"

## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 1.7/16

Arri35 Ultra Prime

#### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	20' 4 3/4"	inf	19' 5 1/4"	inf	16' 7 3/4"	inf
60'	15' 4 1/2"	inf	14' 9 3/4"	inf	13' 2"	inf
30'	12' 4"	inf	11' 11 3/4"	inf	10' 10 1/2"	inf
15'	8' 10"	54' 9 1/2"	8' 7 3/4"	63' 5 3/4"	8' 1"	inf
10'	6' 10 1/2"	18' 11 1/4"	6' 9 1/4"	19' 10 1/4"	6' 5"	56' 11 3/4"
9'	6' 4 3/4"	15' 6 1/2"	6' 3 3/4"	16' 1 3/4"	6' 0 1/4"	34' 0 1/2"
8'	5' 10 3/4"	12' 8 1/2"	5' 9 3/4"	13' 1 1/4"	5' 6 3/4"	22' 7 3/4"
7'	5' 4 1/4"	10' 3 1/2"	5' 3 1/2"	10' 6 1/2"	5' 1"	15' 10"
6'	4' 9 1/4"	8' 2 1/2"	4' 8 1/2"	8' 4 1/4"	4' 6 3/4"	11' 3 1/2"
5' 1/2"	4' 5 1/2"	7' 3 1/4"	4' 5"	7' 4 3/4"	4' 3 1/4"	9' 6 3/4"
5'	4' 1 1/2"	6' 4 3/4"	4' 1 1/4"	6' 5 3/4"	3' 11 3/4"	8' 0 3/4"
4' 1/2"	3' 9 1/2"	5' 7"	3' 9 1/4"	5' 7 3/4"	3' 8"	6' 9 1/4"
4'	3' 5 1/4"	4' 9 3/4"	3' 5"	4' 10 1/4"	3' 4"	5' 7 3/4"
3' 3/4"	3' 3 1/4"	4' 5 1/4"	3' 3"	4' 5 3/4"	3' 2"	5' 1 3/4"
3' 1/2"	3' 1"	4' 1"	3' 0 3/4"	4' 1 1/2"	3' 0"	4' 7 3/4"
3' 1/4"	2' 10 3/4"	3' 8 3/4"	2' 10 1/2"	3' 9 1/4"	2' 9 3/4"	4' 2 1/2"
3'	2' 8 1/4"	3' 4 3/4"	2' 8 1/4"	3' 5"	2' 7 1/2"	3' 9 1/4"
2' 3/4"	2' 6"	3' 0 3/4"	2' 5 3/4"	3' 1"	2' 5 1/4"	3' 4 1/4"
2' 1/2"	2' 3 1/2"	2' 9"	2' 3 1/2"	2' 9 1/4"	2' 3"	2' 11 3/4"
2' 1/4"	2' 1"	2' 5 1/4"	2' 1"	2' 5 1/2"	2' 0 3/4"	2' 7 1/4"
2'	1' 10 1/2"	2' 1 3/4"	1' 10 1/2"	2' 1 3/4"	1' 10 1/4"	2' 3 1/4"
1' 3/4"	1' 8"	1' 10 1/4"	1' 8"	1' 10 1/4"	1' 7 3/4"	1' 11 1/4"
1' 1/2"	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 6 3/4"	1' 5"	1' 7 1/2"
1' 1/4"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
1'	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/2"
0' 3/4"	0' 9"	0' 9"	0' 9"	0' 9"	0' 9"	0' 9 1/4"





Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	13' 8 1/4"	inf	8' 10"	inf	6' 6 1/2"	inf
60'	11' 3"	inf	7' 9 1/4"	inf	5' 11 1/2"	inf
30'	9' 6 3/4"	inf	6' 11 1/2"	inf	5' 5 3/4"	inf
15'	7' 4"	inf	5' 8 3/4"	inf	4' 8 1/2"	inf
10'	5' 11 1/2"	inf	4' 10 1/2"	inf	4' 1 1/2"	inf
9'	5' 7 1/4"	inf	4' 7 3/4"	inf	3' 11 1/2"	inf
8'	5' 2 3/4"	inf	4' 4 1/2"	inf	3' 9 1/4"	inf
7'	4' 9 1/2"	58' 2 1/4"	4' 1"	inf	3' 6 3/4"	inf
6'	4' 4"	23' 0 1/2"	3' 9"	1341' 7 1/4"	3' 3 3/4"	inf
5' 1/2"	4' 1"	16' 7 3/4"	3' 6 3/4"	55' 8"	3' 2"	inf
5'	3' 9 3/4"	12' 5 3/4"	3' 4 1/4"	25' 10 3/4"	3' 0 1/4"	inf
4' 1/2"	3' 6 1/4"	9' 6 3/4"	3' 1 3/4"	15' 8"	2' 10"	inf
4'	3' 2 3/4"	7' 5"	2' 11"	10' 6"	2' 7 3/4"	49' 1 1/4"
3' 3/4"	3' 0 3/4"	6' 6 1/4"	2' 9 1/2"	8' 9 1/4"	2' 6 3/4"	24' 9 1/2"
3' 1/2"	2' 10 3/4"	5' 9"	2' 7 3/4"	7' 4 1/2"	2' 5 1/4"	15' 10"
3' 1/4"	2' 8 3/4"	5' 0 1/2"	2' 6 1/4"	6' 2 3/4"	2' 4"	11' 2 1/4"
3'	2' 6 3/4"	4' 5"	2' 4 1/2"	5' 3 1/4"	2' 2 1/2"	8' 4"
2' 3/4"	2' 4 3/4"	3' 10 1/4"	2' 2 3/4"	4' 5 3/4"	2' 1"	6' 5"
2' 1/2"	2' 2 1/2"	3' 4"	2' 0 3/4"	3' 9 1/2"	1' 11 1/2"	5' 0 1/4"
2' 1/4"	2' 0 1/4"	2' 10 1/2"	1' 11"	3' 2 1/4"	1' 9 3/4"	3' 11 3/4"
2'	1' 9 3/4"	2' 5 1/2"	1' 8 3/4"	2' 8"	1' 8"	3' 1 3/4"
1' 3/4"	1' 7 1/2"	2' 0 3/4"	1' 6 3/4"	2' 2 1/4"	1' 6"	2' 6"
1' 1/2"	1' 5"	1' 8 1/2"	1' 4 1/2"	1' 9 1/4"	1' 4"	1' 11 1/2"
1' 1/4"	1' 2 1/4"	1' 4 1/2"	1' 2"	1' 5"	1' 1 3/4"	1' 6"
1'	0' 11 3/4"	1' 0 3/4"	0' 11 1/2"	1' 1"	0' 11 1/4"	1' 1 1/2"
0' 3/4"	0' 8 3/4"	0' 9 1/4"	0' 8 3/4"	0' 9 1/4"	0' 8 3/4"	0' 9 1/2"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	4' 5"	inf	3' 0 3/4"	inf	2' 2 1/4"	inf
60'	4' 2"	inf	2' 11 1/2"	inf	2' 1 3/4"	inf
30'	3' 11 1/4"	inf	2' 10 1/4"	inf	2' 1"	inf
15'	3' 6 1/2"	inf	2' 7 3/4"	inf	2' 0"	inf
10'	3' 2 3/4"	inf	2' 5 3/4"	inf	1' 11"	inf
9'	3' 1 1/2"	inf	2' 5 1/4"	inf	1' 10 1/2"	inf
8'	3' 0 1/4"	inf	2' 4 1/2"	inf	1' 10 1/4"	inf
7'	2' 10 1/2"	inf	2' 3 1/2"	inf	1' 9 3/4"	inf
6'	2' 8 3/4"	inf	2' 2 1/4"	inf	1' 9"	inf
5' 1/2"	2' 7 1/2"	inf	2' 1 3/4"	inf	1' 8 1/2"	inf
5'	2' 6 1/4"	inf	2' 1"	inf	1' 8 1/4"	inf
4' 1/2"	2' 5"	inf	2' 0"	inf	1' 7 3/4"	inf
4'	2' 3 1/2"	inf	1' 11"	inf	1' 7"	inf
3' 3/4"	2' 2 1/2"	inf	1' 10 1/2"	inf	1' 6 3/4"	inf
3' 1/2"	2' 1 3/4"	inf	1' 9 3/4"	inf	1' 6 1/4"	inf
3' 1/4"	2' 0 3/4"	236' 5 3/4"	1' 9 1/4"	inf	1' 5 3/4"	inf
3'	1' 11 1/2"	27' 1 3/4"	1' 8 1/2"	inf	1' 5 1/2"	inf
2' 3/4"	1' 10 1/2"	13' 3 1/2"	1' 7 3/4"	inf	1' 4 3/4"	inf
2' 1/2"	1' 9 1/4"	8' 3"	1' 6 3/4"	175' 7 3/4"	1' 4 1/4"	inf
2' 1/4"	1' 7 3/4"	5' 7 3/4"	1' 5 3/4"	15' 0"	1' 3 1/2"	inf
2'	1' 6 1/2"	4' 0 3/4"	1' 4 3/4"	7' 0 1/4"	1' 2 3/4"	inf
1' 3/4"	1' 4 3/4"	2' 11 3/4"	1' 3 1/2"	4' 2 1/4"	1' 2"	11' 0 1/2"
1' 1/2"	1' 3"	2' 2 1/2"	1' 2"	2' 8 3/4"	1' 0 3/4"	4' 3 1/2"
1' 1/4"	1' 1"	1' 7 1/2"	1' 0 1/2"	1' 10 1/4"	0' 11 1/2"	2' 4"
1'	0' 11"	1' 2"	0' 10 1/2"	1' 3"	0' 10"	1' 5"
0' 3/4"	0' 8 1/2"	0' 9 3/4"	0' 8 1/2"	0' 10"	0' 8 1/4"	0' 10 1/2"



## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 1.7/20

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	30' 3 1/4"	inf	27' 6"	inf	22' 0 1/4"	inf
30'	15' 2 3/4"	3693' 3 1/4"	14' 6 1/4"	inf	12' 10 1/2"	inf
15'	10' 2 1/4"	29' 1 1/4"	9' 10 1/4"	29' 5"	9' 1"	78' 1"
10'	7' 7 3/4"	14' 7 1/4"	7' 5 1/2"	14' 8 1/4"	7' 0 1/4"	21' 1 1/4"
9'	7' 0 3/4"	12' 6 1/4"	6' 11"	12' 7"	6' 6 1/4"	16' 11 3/4"
8'	6' 5 1/4"	10' 7 3/4"	6' 3 3/4"	10' 8 1/4"	6' 0"	13' 7 3/4"
7'	5' 9 1/2"	8' 11"	5' 8 1/4"	8' 11 1/4"	5' 5 1/4"	10' 10 3/4"
6'	5' 1 1/4"	7' 3 3/4"	5' 0 1/4"	7' 4"	4' 10"	8' 7"
5 1/2"	4' 9"	6' 7"	4' 8"	6' 7"	4' 6"	7' 6 3/4"
5'	4' 4 1/2"	5' 10 1/4"	4' 3 3/4"	5' 10 1/2"	4' 2"	6' 7 1/2"
4 1/2"	4' 0"	5' 2"	3' 11 1/4"	5' 2 1/4"	3' 10"	5' 9"
4'	3' 7 1/4"	4' 6"	3' 6 3/4"	4' 6 1/4"	3' 5 3/4"	4' 11 1/4"
3 3/4"	3' 4 3/4"	4' 2 1/4"	3' 4 1/2"	4' 2 1/4"	3' 3 1/2"	4' 6 1/2"
3 1/2"	3' 2 1/2"	3' 10 1/2"	3' 2"	3' 10 1/2"	3' 1 1/4"	4' 2"
3 1/4"	3' 0"	3' 6 3/4"	2' 11 1/2"	3' 6 3/4"	2' 10 3/4"	3' 9 3/4"
3'	2' 9 1/2"	3' 3"	2' 9 1/4"	3' 3 1/4"	2' 8 1/2"	3' 5 1/2"
2 3/4"	2' 6 3/4"	2' 11 1/2"	2' 6 3/4"	2' 11 1/2"	2' 6"	3' 1 1/2"
2 1/2"	2' 4 1/4"	2' 8"	2' 4"	2' 8"	2' 3 3/4"	2' 9 1/2"
2 1/4"	2' 1 3/4"	2' 4 1/2"	2' 1 1/2"	2' 4 1/2"	2' 1 1/4"	2' 5 3/4"
2'	1' 11"	2' 1 1/4"	1' 10 3/4"	2' 1 1/4"	1' 10 1/2"	2' 2"
1 3/4"	1' 8 1/4"	1' 9 3/4"	1' 8 1/4"	1' 9 3/4"	1' 8"	1' 10 1/2"
1 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/4"	1' 7"
1 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 1/2"	1' 3 1/2"
1'	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	19' 5"	inf	14' 4 1/2"	inf	9' 8 1/4"	inf
30'	11' 11 1/2"	inf	9' 10 1/2"	inf	7' 5 1/4"	inf
15'	8' 7 1/2"	inf	7' 6"	inf	6' 0 1/2"	inf
10'	6' 9"	88' 7 1/4"	6' 0 3/4"	inf	5' 1"	inf
9'	6' 3 1/2"	43' 3 1/4"	5' 8 1/4"	inf	4' 10"	inf
8'	5' 9 3/4"	26' 4 3/4"	5' 3 1/2"	inf	4' 6 1/2"	inf
7'	5' 3 1/4"	17' 7"	4' 10 1/4"	62' 4 1/4"	4' 2 3/4"	inf
6'	4' 8 1/2"	12' 2"	4' 4 1/2"	23' 9 1/4"	3' 10 1/4"	inf
5' 1/2"	4' 4 3/4"	10' 2"	4' 1 1/4"	17' 0 3/4"	3' 8"	100' 8"
5'	4' 1"	8' 6"	3' 10"	12' 9"	3' 5 1/2"	32' 9 3/4"
4' 1/2"	3' 9"	7' 1"	3' 6 1/2"	9' 8 3/4"	3' 2 1/2"	18' 0"
4'	3' 5"	5' 10 1/4"	3' 3"	7' 6 1/4"	2' 11 3/4"	11' 6 1/4"
3' 3/4"	3' 2 3/4"	5' 3 3/4"	3' 1"	6' 7 1/4"	2' 10"	9' 5 1/2"
3' 1/2"	3' 0 1/2"	4' 9 1/2"	2' 11"	5' 9 3/4"	2' 8 1/2"	7' 10 1/2"
3' 1/4"	2' 10 1/4"	4' 3 3/4"	2' 9"	5' 1 1/4"	2' 6 3/4"	6' 7"
3'	2' 8"	3' 10 1/4"	2' 7"	4' 5 3/4"	2' 5"	5' 6 1/2"
2' 3/4"	2' 5 3/4"	3' 5 1/4"	2' 4 3/4"	3' 10 3/4"	2' 3"	4' 8"
2' 1/2"	2' 3 1/4"	3' 0 1/2"	2' 2 1/2"	3' 4 1/2"	2' 1 1/4"	3' 11"
2' 1/4"	2' 1"	2' 8"	2' 0 1/4"	2' 10 3/4"	1' 11"	3' 3 1/4"
2'	1' 10 1/2"	2' 3 1/2"	1' 10"	2' 5 3/4"	1' 9"	2' 8 3/4"
1' 3/4"	1' 7 3/4"	1' 11 1/2"	1' 7 1/2"	2' 1"	1' 6 3/4"	2' 3"
1' 1/2"	1' 5 1/4"	1' 7 3/4"	1' 5"	1' 8 1/2"	1' 4 1/2"	1' 9 3/4"
1' 1/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/2"	1' 2"	1' 5 1/4"
1'	0' 11 3/4"	1' 0 1/2"	0' 11 3/4"	1' 0 3/4"	0' 11 1/2"	1' 1"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	6' 5 1/2"	inf	4' 4 1/2"	inf	3' 1"	inf
30'	5' 5"	inf	3' 10 3/4"	inf	2' 10"	inf
15'	4' 8"	inf	3' 6"	inf	2' 7 3/4"	inf
10'	4' 1"	inf	3' 2 1/4"	inf	2' 5 3/4"	inf
9'	3' 11"	inf	3' 1 1/4"	inf	2' 5"	inf
8'	3' 9"	inf	2' 11 3/4"	inf	2' 4 1/4"	inf
7'	3' 6 1/4"	inf	2' 10 1/4"	inf	2' 3 1/4"	inf
6'	3' 3 1/4"	inf	2' 8 1/2"	inf	2' 2 1/4"	inf
5' 1/2"	3' 1 3/4"	inf	2' 7 1/4"	inf	2' 1 1/2"	inf
5'	2' 11 3/4"	inf	2' 6"	inf	2' 0 3/4"	inf
4' 1/2"	2' 9 3/4"	inf	2' 4 3/4"	inf	2' 0"	inf
4'	2' 7 1/2"	40' 7"	2' 3 1/4"	inf	1' 10 3/4"	inf
3' 3/4"	2' 6 1/4"	22' 7 1/4"	2' 2 1/4"	inf	1' 10 1/4"	inf
3' 1/2"	2' 5"	15' 0 1/4"	2' 1 1/4"	inf	1' 9 3/4"	inf
3' 1/4"	2' 3 3/4"	10' 9 3/4"	2' 0 1/2"	118' 10 1/4"	1' 9"	inf
3'	2' 2 1/4"	8' 2"	1' 11 1/4"	24' 10 1/4"	1' 8 1/4"	inf
2' 3/4"	2' 0 3/4"	6' 4"	1' 10 1/4"	12' 10 1/4"	1' 7 1/2"	inf
2' 1/2"	1' 11 1/4"	5' 0"	1' 9"	8' 1 3/4"	1' 6 1/2"	201' 8"
2' 1/4"	1' 9 1/2"	3' 11 1/2"	1' 7 3/4"	5' 7 3/4"	1' 5 1/2"	15' 6 1/2"
2'	1' 7 3/4"	3' 2"	1' 6 1/4"	4' 1"	1' 4 1/2"	7' 3"
1' 3/4"	1' 5 3/4"	2' 6"	1' 4 3/4"	3' 0"	1' 3 1/4"	4' 3 3/4"
1' 1/2"	1' 3 3/4"	1' 11 1/2"	1' 3"	2' 2 3/4"	1' 1 3/4"	2' 9 3/4"
1' 1/4"	1' 1 1/2"	1' 6 1/4"	1' 1"	1' 7 3/4"	1' 0 1/4"	1' 10 3/4"
1'	0' 11 1/4"	1' 1 1/2"	0' 11"	1' 2 1/4"	0' 10 1/2"	1' 3 1/2"



## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 1.7/24

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	41' 9"	inf	40' 6"	inf	41' 3 1/4"	inf
30'	17' 7 1/4"	105' 4 1/4"	17' 4 3/4"	130' 1"	17' 6 1/4"	inf
15'	11' 2"	23' 0 3/4"	11' 0 3/4"	24' 0 1/2"	11' 1 1/2"	49' 6 1/4"
10'	8' 2"	12' 11 1/2"	8' 1 1/2"	13' 3"	8' 1 3/4"	18' 4"
9'	7' 6"	11' 3 3/4"	7' 5 1/2"	11' 6 1/4"	7' 5 3/4"	15' 1 3/4"
8'	6' 9 1/2"	9' 9"	6' 9 1/4"	9' 11"	6' 9 1/2"	12' 5 1/4"
7'	6' 0 3/4"	8' 3 1/2"	6' 0 1/2"	8' 4 3/4"	6' 0 3/4"	10' 1 1/2"
6'	5' 3 3/4"	6' 10 3/4"	5' 3 1/2"	6' 11 3/4"	5' 3 3/4"	8' 1 1/4"
5' 1/2"	4' 11"	6' 3"	4' 11"	6' 3 3/4"	4' 11"	7' 2 1/2"
5'	4' 6 1/4"	5' 7 1/4"	4' 6 1/4"	5' 7 3/4"	4' 6 1/4"	6' 4 1/4"
4' 1/2"	4' 1 1/2"	4' 11 3/4"	4' 1 1/4"	5' 0"	4' 1 1/4"	5' 6 1/2"
4'	3' 8 1/2"	4' 4 1/4"	3' 8 1/4"	4' 4 3/4"	3' 8 1/4"	4' 9 1/2"
3' 3/4"	3' 5 3/4"	4' 0 3/4"	3' 5 3/4"	4' 1"	3' 5 3/4"	4' 5"
3' 1/2"	3' 3 1/4"	3' 9 1/4"	3' 3 1/4"	3' 9 1/2"	3' 3 1/4"	4' 0 3/4"
3' 1/4"	3' 0 3/4"	3' 5 3/4"	3' 0 1/2"	3' 6"	3' 0 3/4"	3' 8 3/4"
3'	2' 10"	3' 2 1/4"	2' 10"	3' 2 1/2"	2' 10"	3' 4 3/4"
2' 3/4"	2' 7 1/2"	2' 10 3/4"	2' 7 1/4"	2' 11"	2' 7 1/4"	3' 0 3/4"
2' 1/2"	2' 4 3/4"	2' 7 1/2"	2' 4 3/4"	2' 7 1/2"	2' 4 3/4"	2' 9"
2' 1/4"	2' 2"	2' 4 1/4"	2' 2"	2' 4 1/4"	2' 2"	2' 5 1/4"
2'	1' 11 1/4"	2' 0 3/4"	1' 11 1/4"	2' 1"	1' 11 1/4"	2' 1 3/4"
1' 3/4"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 9 3/4"	1' 8 1/2"	1' 10 1/4"
1' 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
1' 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
1'	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	33' 1 1/2"	inf	18' 2 1/4"	inf	13' 10 1/2"	inf
30'	15' 10 3/4"	inf	11' 5 3/4"	inf	9' 7 1/2"	inf
15'	10' 5 1/2"	inf	8' 4 1/2"	inf	7' 4 1/4"	inf
10'	7' 9 1/2"	32' 2 1/4"	6' 7 1/4"	70' 7"	5' 11 1/2"	inf
9'	7' 2 1/4"	23' 5"	6' 2"	38' 6 3/4"	5' 7 1/4"	inf
8'	6' 6 1/2"	17' 5 1/2"	5' 8 1/4"	24' 7 1/4"	5' 2 3/4"	inf
7'	5' 10 1/2"	13' 2"	5' 2 1/4"	16' 9 1/2"	4' 9 1/2"	55' 3 1/4"
6'	5' 2"	9' 11"	4' 7 1/2"	11' 9 3/4"	4' 3 3/4"	22' 9"
5' 1/2"	4' 9 1/2"	8' 6 3/4"	4' 4"	9' 11 1/4"	4' 0 3/4"	16' 6 1/2"
5'	4' 5"	7' 4 1/2"	4' 0 1/4"	8' 4"	3' 9 1/2"	12' 5 3/4"
4' 1/2"	4' 0 1/4"	6' 3 1/2"	3' 8 1/2"	6' 11 3/4"	3' 6 1/4"	9' 7"
4'	3' 7 1/2"	5' 3 3/4"	3' 4 1/2"	5' 9 1/2"	3' 2 1/2"	7' 5 1/4"
3' 3/4"	3' 5"	4' 10 1/2"	3' 2 1/4"	5' 3"	3' 0 3/4"	6' 6 3/4"
3' 1/2"	3' 2 1/2"	4' 5 1/4"	3' 0 1/4"	4' 9"	2' 10 3/4"	5' 9 1/4"
3' 1/4"	3' 0"	4' 0 1/4"	2' 10"	4' 3 1/4"	2' 8 3/4"	5' 1"
3'	2' 9 1/2"	3' 7 3/4"	2' 7 3/4"	3' 10"	2' 6 3/4"	4' 5 1/2"
2' 3/4"	2' 7"	3' 3 1/4"	2' 5 1/2"	3' 5"	2' 4 1/2"	3' 10 1/2"
2' 1/2"	2' 4 1/4"	2' 10 3/4"	2' 3 1/4"	3' 0 1/4"	2' 2 1/4"	3' 4 1/2"
2' 1/4"	2' 1 3/4"	2' 6 3/4"	2' 0 3/4"	2' 7 3/4"	2' 0"	2' 10 3/4"
2'	1' 11"	2' 2 3/4"	1' 10 1/4"	2' 3 1/2"	1' 9 3/4"	2' 5 3/4"
1' 3/4"	1' 8 1/4"	1' 11"	1' 7 3/4"	1' 11 1/2"	1' 7 1/4"	2' 1"
1' 1/2"	1' 5 1/2"	1' 7 1/4"	1' 5"	1' 7 3/4"	1' 4 3/4"	1' 8 1/2"
1' 1/4"	1' 2 3/4"	1' 3 3/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/2"
1'	0' 11 3/4"	1' 0 1/2"	0' 11 3/4"	1' 0 1/2"	0' 11 1/2"	1' 0 3/4"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	8' 11 3/4"	inf	6' 0"	inf	4' 1 3/4"	inf
30'	7' 0 1/4"	inf	5' 1 1/4"	inf	3' 8 1/2"	inf
15'	5' 9 1/4"	inf	4' 5"	inf	3' 4 1/4"	inf
10'	4' 10 3/4"	inf	3' 10 3/4"	inf	3' 0 3/4"	inf
9'	4' 7 3/4"	inf	3' 9"	inf	2' 11 3/4"	inf
8'	4' 4 3/4"	inf	3' 7"	inf	2' 10 1/2"	inf
7'	4' 1"	inf	3' 4 3/4"	inf	2' 9"	inf
6'	3' 9"	864' 3 3/4"	3' 2"	inf	2' 7 1/4"	inf
5'1/2"	3' 6 3/4"	55' 3 1/2"	3' 0 1/2"	inf	2' 6 1/4"	inf
5'	3' 4 1/4"	26' 0 1/2"	2' 10 3/4"	inf	2' 5"	inf
4'1/2"	3' 1 3/4"	15' 10"	2' 8 3/4"	239' 2 3/4"	2' 3 3/4"	inf
4'	2' 10 3/4"	10' 7 1/2"	2' 6 3/4"	27' 6"	2' 2 1/4"	inf
3'3/4"	2' 9 1/4"	8' 10 1/2"	2' 5 1/2"	17' 11 3/4"	2' 1 1/2"	inf
3'1/2"	2' 7 3/4"	7' 5 1/2"	2' 4 1/4"	12' 10 1/2"	2' 0 3/4"	inf
3'1/4"	2' 6"	6' 3 3/4"	2' 3"	9' 8 1/2"	1' 11 3/4"	45' 7"
3'	2' 4 1/2"	5' 4 1/4"	2' 1 3/4"	7' 6 1/2"	1' 10 3/4"	18' 10"
2'3/4"	2' 2 1/2"	4' 6 1/2"	2' 0 1/4"	5' 11 3/4"	1' 9 3/4"	11' 1 1/2"
2'1/2"	2' 0 3/4"	3' 10"	1' 10 3/4"	4' 9 1/4"	1' 8 1/2"	7' 5 1/2"
2'1/4"	1' 10 3/4"	3' 2 3/4"	1' 9 1/4"	3' 10"	1' 7 1/4"	5' 4"
2'	1' 8 3/4"	2' 8 1/4"	1' 7 1/2"	3' 1"	1' 5 3/4"	3' 11 1/4"
1'3/4"	1' 6 1/2"	2' 2 3/4"	1' 5 1/2"	2' 5 1/2"	1' 4 1/4"	2' 11 1/4"
1'1/2"	1' 4 1/4"	1' 9 3/4"	1' 3 1/2"	1' 11 1/4"	1' 2 3/4"	2' 2 1/2"
1'1/4"	1' 2"	1' 5 1/4"	1' 1 1/2"	1' 6"	1' 0 3/4"	1' 7 3/4"
1'	0' 11 1/2"	1' 1"	0' 11 1/4"	1' 1 1/2"	0' 10 3/4"	1' 2 1/4"





## Schärfentieftabellen / depth of field tables

### Distagon® T\* 1.7/28

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	58' 8"	inf	54' 6 1/4"	inf	38' 9 1/4"	inf
30'	20' 0"	60' 8"	19' 6 1/4"	62' 8"	17' 1"	118' 4"
15'	12' 0 3/4"	19' 11"	11' 10 1/2"	20' 1 1/2"	10' 11 1/2"	23' 7"
10'	8' 7 1/2"	11' 11"	8' 6 1/2"	11' 11 3/4"	8' 0 3/4"	13' 1 1/4"
9'	7' 10 1/2"	10' 6"	7' 9 3/4"	10' 6 3/4"	7' 5"	11' 5"
8'	7' 1 1/2"	9' 1 3/4"	7' 0 3/4"	9' 2 1/4"	6' 8 3/4"	9' 10"
7'	6' 3 3/4"	7' 10 1/4"	6' 3 1/4"	7' 10 1/2"	6' 0 1/4"	8' 4"
6'	5' 6"	6' 7 1/4"	5' 5 1/2"	6' 7 1/2"	5' 3 1/4"	6' 11 1/4"
5' 1/2"	5' 1"	6' 0"	5' 0 3/4"	6' 0 1/4"	4' 10 3/4"	6' 3 1/4"
5'	4' 8"	5' 4 3/4"	4' 7 1/2"	5' 5"	4' 6"	5' 7 1/2"
4' 1/2"	4' 2 3/4"	4' 9 3/4"	4' 2 1/2"	4' 10"	4' 1 1/4"	4' 11 3/4"
4'	3' 9 1/2"	4' 3"	3' 9 1/4"	4' 3"	3' 8 1/4"	4' 4 1/2"
3' 3/4"	3' 6 3/4"	3' 11 1/2"	3' 6 1/2"	3' 11 1/2"	3' 5 3/4"	4' 0 3/4"
3' 1/2"	3' 4"	3' 8 1/4"	3' 4"	3' 8 1/4"	3' 3 1/4"	3' 9 1/4"
3' 1/4"	3' 1 1/4"	3' 4 3/4"	3' 1 1/4"	3' 4 3/4"	3' 0 1/2"	3' 5 3/4"
3'	2' 10 3/4"	3' 1 1/2"	2' 10 1/2"	3' 1 1/2"	2' 10"	3' 2 1/4"
2' 3/4"	2' 7 3/4"	2' 10 1/4"	2' 7 3/4"	2' 10 1/4"	2' 7 1/4"	2' 10 3/4"
2' 1/2"	2' 5"	2' 7"	2' 5"	2' 7"	2' 4 3/4"	2' 7 1/2"
2' 1/4"	2' 2 1/4"	2' 3 3/4"	2' 2 1/4"	2' 3 3/4"	2' 2"	2' 4 1/4"
2'	1' 11 1/2"	2' 0 1/2"	1' 11 1/2"	2' 0 1/2"	1' 11 1/4"	2' 0 3/4"
1' 3/4"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 9 1/2"
1' 1/2"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 1/2"	1' 6 1/2"
1' 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
1'	1' 0"	1' 0"	1' 0"	1' 0"	1' 0"	1' 0"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	30' 5"	inf	22' 5 1/4"	inf	15' 9 1/2"	inf
30'	15' 3 1/2"	inf	13' 0 1/4"	inf	10' 6 1/4"	inf
15'	10' 2 1/2"	35' 0 1/2"	9' 2"	94' 9 3/4"	7' 10 1/2"	inf
10'	7' 8"	15' 11"	7' 0 3/4"	22' 1"	6' 3 1/2"	44' 5"
9'	7' 0 3/4"	13' 5 1/2"	6' 6 3/4"	17' 7"	5' 10 3/4"	29' 2"
8'	6' 5 1/2"	11' 3 1/2"	6' 0 1/2"	14' 0 1/4"	5' 5 3/4"	20' 5"
7'	5' 9 1/2"	9' 4 1/4"	5' 5 1/2"	11' 1 1/2"	5' 0"	14' 8 3/4"
6'	5' 1 1/4"	7' 7 1/4"	4' 10 1/4"	8' 8 1/2"	4' 6"	10' 9"
5' 1/2"	4' 9"	6' 9 3/4"	4' 6 1/4"	7' 8"	4' 2 1/2"	9' 2"
5'	4' 4 1/2"	6' 0 1/2"	4' 2 1/4"	6' 8 1/4"	3' 11 1/4"	7' 9 1/2"
4' 1/2"	4' 0"	5' 3 3/4"	3' 10 1/4"	5' 9 1/2"	3' 7 1/2"	6' 7"
4'	3' 7 1/4"	4' 7 1/4"	3' 5 3/4"	4' 11 1/2"	3' 3 3/4"	5' 6 1/4"
3' 3/4"	3' 5"	4' 3 1/4"	3' 3 1/2"	4' 6 3/4"	3' 1 3/4"	5' 0 1/4"
3' 1/2"	3' 2 1/2"	3' 11 1/4"	3' 1 1/4"	4' 2 1/4"	2' 11 3/4"	4' 6 3/4"
3' 1/4"	3' 0"	3' 7 1/2"	2' 11"	3' 10"	2' 9 1/2"	4' 1 1/2"
3'	2' 9 1/2"	3' 3 3/4"	2' 8 1/2"	3' 5 3/4"	2' 7 1/2"	3' 8 1/2"
2' 3/4"	2' 7"	3' 0"	2' 6 1/4"	3' 1 1/2"	2' 5 1/4"	3' 3 3/4"
2' 1/2"	2' 4 1/4"	2' 8 1/4"	2' 3 3/4"	2' 9 1/2"	2' 3"	2' 11 1/4"
2' 1/4"	2' 1 3/4"	2' 4 3/4"	2' 1 1/4"	2' 5 3/4"	2' 0 1/2"	2' 7"
2'	1' 11"	2' 1 1/4"	1' 10 3/4"	2' 2"	1' 10"	2' 3"
1' 3/4"	1' 8 1/4"	1' 10"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11"
1' 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/4"
1' 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
1'	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/4"	0' 11 3/4"	1' 0 1/2"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	10' 11 1/4"	inf	7' 7 3/4"	inf	5' 4 3/4"	inf
30'	8' 1 3/4"	inf	6' 2 1/2"	inf	4' 8"	inf
15'	6' 6"	inf	5' 2 3/4"	inf	4' 1 1/4"	inf
10'	5' 4 3/4"	inf	4' 6"	inf	3' 8"	inf
9'	5' 1 1/2"	247' 0 3/4"	4' 3 3/4"	inf	3' 6 1/2"	inf
8'	4' 9 1/2"	52' 4 3/4"	4' 1"	inf	3' 4 3/4"	inf
7'	4' 5 1/4"	26' 0 1/4"	3' 10"	inf	3' 2 3/4"	inf
6'	4' 0 1/2"	15' 7"	3' 6 1/2"	44' 0 1/4"	3' 0 1/4"	inf
5' 1/2"	3' 9 3/4"	12' 5"	3' 4 1/2"	25' 3"	2' 10 3/4"	inf
5'	3' 7"	9' 11 3/4"	3' 2 1/4"	16' 8 1/2"	2' 9 1/4"	835' 0 3/4"
4' 1/2"	3' 4"	8' 0 1/2"	3' 0"	11' 9 3/4"	2' 7 1/2"	37' 0 1/4"
4'	3' 0 3/4"	6' 5 3/4"	2' 9 1/2"	8' 8"	2' 5 3/4"	16' 10 1/2"
3' 3/4"	2' 11 1/4"	5' 9 3/4"	2' 8"	7' 5 1/2"	2' 4 3/4"	12' 8 3/4"
3' 1/2"	2' 9 1/2"	5' 2 1/4"	2' 6 3/4"	6' 5 1/4"	2' 3 1/2"	9' 11 1/4"
3' 1/4"	2' 7 1/2"	4' 7 1/2"	2' 5 1/4"	5' 6 3/4"	2' 2 1/4"	7' 11 1/4"
3'	2' 5 3/4"	4' 1 1/4"	2' 3 1/2"	4' 9 3/4"	2' 1"	6' 5"
2' 3/4"	2' 3 3/4"	3' 7 1/2"	2' 2"	4' 1 3/4"	1' 11 3/4"	5' 3"
2' 1/2"	2' 1 3/4"	3' 2"	2' 0 1/4"	3' 6 1/2"	1' 10 1/4"	4' 3 3/4"
2' 1/4"	1' 11 1/2"	2' 9"	1' 10 1/4"	3' 0 1/4"	1' 8 3/4"	3' 6 1/4"
2'	1' 9 1/4"	2' 4 1/4"	1' 8 1/2"	2' 6 1/2"	1' 7 1/4"	2' 10 1/2"
1' 3/4"	1' 7"	2' 0"	1' 6 1/4"	2' 1 1/2"	1' 5 1/2"	2' 4"
1' 1/2"	1' 4 3/4"	1' 8"	1' 4 1/4"	1' 9"	1' 3 1/2"	1' 10 1/4"
1' 1/4"	1' 2 1/4"	1' 4 1/4"	1' 1 3/4"	1' 4 3/4"	1' 1 1/2"	1' 5 1/2"
1'	0' 11 1/2"	1' 0 1/2"	0' 11 1/2"	1' 0 3/4"	0' 11 1/4"	1' 1 1/4"



## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 1.7/32

Arri35 Ultra Prime

#### Tabellen in feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	74' 0 3/4"	inf	72' 1"	inf	67' 9"	inf
30'	21' 6"	49' 11 1/4"	21' 4"	52' 5 1/4"	20' 11 1/4"	113' 11"
15'	12' 7"	18' 7 1/2"	12' 6 1/4"	18' 11 1/2"	12' 4 1/2"	23' 4 3/4"
10'	8' 10 3/4"	11' 5 1/2"	8' 10 1/4"	11' 6 3/4"	8' 9 1/2"	13' 0 1/2"
9'	8' 1 1/4"	10' 1 3/4"	8' 0 3/4"	10' 3"	8' 0 1/4"	11' 4 1/2"
8'	7' 3 1/2"	8' 10 1/2"	7' 3 1/4"	8' 11 1/2"	7' 2 3/4"	9' 9 1/2"
7'	6' 5 1/2"	7' 8"	6' 5 1/4"	7' 8 1/2"	6' 4 3/4"	8' 3 3/4"
6'	5' 7 1/4"	6' 5 1/2"	5' 7"	6' 6"	5' 6 3/4"	6' 11"
5' 1/2"	5' 2"	5' 10 1/2"	5' 2"	5' 11"	5' 1 1/2"	6' 3"
5'	4' 8 3/4"	5' 3 3/4"	4' 8 1/2"	5' 4"	4' 8 1/2"	5' 7 1/4"
4' 1/2"	4' 3 1/4"	4' 9"	4' 3 1/4"	4' 9 1/4"	4' 3"	4' 11 3/4"
4'	3' 10"	4' 2 1/4"	3' 10"	4' 2 1/2"	3' 9 3/4"	4' 4 1/4"
3' 3/4"	3' 7 1/4"	3' 11"	3' 7 1/4"	3' 11"	3' 7"	4' 0 3/4"
3' 1/2"	3' 4 1/2"	3' 7 3/4"	3' 4 1/2"	3' 7 3/4"	3' 4 1/4"	3' 9 1/4"
3' 1/4"	3' 1 3/4"	3' 4 1/2"	3' 1 3/4"	3' 4 1/2"	3' 1 1/2"	3' 5 3/4"
3'	2' 11"	3' 1 1/4"	2' 11"	3' 1 1/4"	2' 10 3/4"	3' 2 1/4"
2' 3/4"	2' 8"	2' 10"	2' 8"	2' 10"	2' 8"	2' 10 3/4"
2' 1/2"	2' 5 1/4"	2' 6 3/4"	2' 5 1/4"	2' 6 3/4"	2' 5 1/4"	2' 7 1/2"
2' 1/4"	2' 2 1/2"	2' 3 1/2"	2' 2 1/2"	2' 3 3/4"	2' 2 1/2"	2' 4"
2'	1' 11 1/2"	2' 0 1/2"	1' 11 1/2"	2' 0 1/2"	1' 11 1/2"	2' 0 3/4"
1' 3/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
1' 1/2"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
1' 1/4"	1' 3"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	56' 3"	inf	34' 0 1/4"	inf	24' 9 1/4"	inf
30'	19' 8 3/4"	inf	16' 1 1/2"	inf	13' 9"	inf
15'	11' 11 1/2"	33' 4 3/4"	10' 6 3/4"	52' 10 1/4"	9' 6"	inf
10'	8' 7"	15' 7"	7' 10 1/4"	18' 8 1/2"	7' 3 1/4"	30' 5 3/4"
9'	7' 10"	13' 2 3/4"	7' 2 3/4"	15' 4 3/4"	6' 9"	22' 5 1/2"
8'	7' 1"	11' 1 1/2"	6' 7"	12' 7 1/4"	6' 2 1/4"	16' 11"
7'	6' 3 1/2"	9' 2 3/4"	5' 10 3/4"	10' 2 1/2"	5' 7"	12' 10"
6'	5' 5 3/4"	7' 6 1/2"	5' 2 1/4"	8' 2"	4' 11 1/4"	9' 8 1/2"
5' 1/2"	5' 0 3/4"	6' 9"	4' 9 3/4"	7' 2 3/4"	4' 7 1/4"	8' 5"
5'	4' 7 3/4"	5' 11 3/4"	4' 5 1/4"	6' 4 1/2"	4' 3"	7' 3"
4' 1/2"	4' 2 1/2"	5' 3 1/4"	4' 0 1/2"	5' 6 3/4"	3' 10 3/4"	6' 2 1/4"
4'	3' 9 1/4"	4' 7"	3' 7 3/4"	4' 9 1/2"	3' 6 1/4"	5' 3"
3' 3/4"	3' 6 3/4"	4' 3"	3' 5 1/4"	4' 5"	3' 4"	4' 9 3/4"
3' 1/2"	3' 4"	3' 11"	3' 2 3/4"	4' 0 3/4"	3' 1 3/4"	4' 4 3/4"
3' 1/4"	3' 1 1/4"	3' 7 1/4"	3' 0 1/4"	3' 8 3/4"	2' 11 1/4"	3' 11 3/4"
3'	2' 10 1/2"	3' 3 1/2"	2' 9 3/4"	3' 4 3/4"	2' 9"	3' 7 1/4"
2' 3/4"	2' 7 3/4"	2' 11 3/4"	2' 7"	3' 0 3/4"	2' 6 1/2"	3' 2 3/4"
2' 1/2"	2' 5"	2' 8 1/4"	2' 4 1/2"	2' 9"	2' 4"	2' 10 1/2"
2' 1/4"	2' 2 1/4"	2' 4 3/4"	2' 1 3/4"	2' 5 1/4"	2' 1 1/4"	2' 6 1/2"
2'	1' 11 1/2"	2' 1 1/4"	1' 11"	2' 1 3/4"	1' 10 3/4"	2' 2 1/2"
1' 3/4"	1' 8 1/2"	1' 10"	1' 8 1/4"	1' 10 1/4"	1' 8"	1' 10 3/4"
1' 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/2"	1' 7 1/4"
1' 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 3/4"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	16' 0 1/2"	inf	10' 8 1/2"	inf	7' 3 1/2"	inf
30'	10' 7 1/2"	inf	8' 0 1/4"	inf	5' 11 3/4"	inf
15'	7' 11 1/4"	inf	6' 5"	inf	5' 0 3/4"	inf
10'	6' 4"	102' 2"	5' 4 1/4"	inf	4' 4 3/4"	inf
9'	5' 11 1/4"	46' 1 1/4"	5' 0 3/4"	inf	4' 2 1/2"	inf
8'	5' 6"	27' 4 1/4"	4' 9"	213' 9 3/4"	4' 0"	inf
7'	5' 0 1/4"	17' 11 1/2"	4' 4 3/4"	41' 3"	3' 9"	inf
6'	4' 6"	12' 4"	4' 0 1/4"	19' 10 1/2"	3' 5 3/4"	153' 6 3/4"
5'1/2"	4' 2 3/4"	10' 3 1/4"	3' 9 1/2"	14' 11 1/2"	3' 3 3/4"	42' 3 3/4"
5'	3' 11 1/4"	8' 6 3/4"	3' 6 3/4"	11' 6 1/4"	3' 1 3/4"	22' 7 3/4"
4'1/2"	3' 7 3/4"	7' 1 1/2"	3' 3 3/4"	9' 0"	2' 11 1/2"	14' 5 1/4"
4'	3' 3 3/4"	5' 10 1/2"	3' 0 3/4"	7' 0 3/4"	2' 9"	9' 11 1/4"
3'3/4"	3' 1 3/4"	5' 3 3/4"	2' 11"	6' 3 1/4"	2' 7 3/4"	8' 4 1/2"
3'1/2"	2' 11 3/4"	4' 9 1/2"	2' 9 1/4"	5' 6 1/2"	2' 6 1/4"	7' 1 1/4"
3'1/4"	2' 9 1/2"	4' 3 3/4"	2' 7 1/2"	4' 10 3/4"	2' 4 3/4"	6' 0 1/2"
3'	2' 7 1/2"	3' 10 1/4"	2' 5 1/2"	4' 3 3/4"	2' 3 1/4"	5' 1 3/4"
2'3/4"	2' 5 1/4"	3' 5 1/4"	2' 3 3/4"	3' 9 1/4"	2' 1 3/4"	4' 4 1/2"
2'1/2"	2' 3"	3' 0 1/4"	2' 1 1/2"	3' 3 1/2"	2' 0"	3' 8 1/2"
2'1/4"	2' 0 1/2"	2' 7 3/4"	1' 11 1/2"	2' 10"	1' 10 1/4"	3' 1 3/4"
2'	1' 10 1/4"	2' 3 1/2"	1' 9 1/4"	2' 5"	1' 8 1/4"	2' 7 1/2"
1'3/4"	1' 7 3/4"	1' 11 1/2"	1' 7"	2' 0 1/2"	1' 6 1/4"	2' 2"
1'1/2"	1' 5"	1' 7 1/2"	1' 4 3/4"	1' 8 1/4"	1' 4"	1' 9 1/4"
1'1/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"	1' 1 3/4"	1' 4 3/4"



## Schärfentiefentabellen / depth of field tables

### Distagon® T\* 1.7/40

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	118' 5"	inf	109' 11 3/4"	inf	87' 10 3/4"	inf
30'	24' 0 3/4"	39' 4 1/4"	23' 8 1/4"	39' 9 1/2"	22' 6"	50' 2 3/4"
15'	13' 4 1/2"	16' 11 3/4"	13' 3 1/4"	17' 0 1/2"	12' 10 3/4"	18' 8"
10'	9' 3 1/4"	10' 9 3/4"	9' 2 3/4"	10' 10 1/4"	9' 0 1/2"	11' 5 1/2"
9'	8' 5"	9' 7 3/4"	8' 4 1/2"	9' 8"	8' 2 3/4"	10' 2"
8'	7' 6 1/2"	8' 6"	7' 6"	8' 6 1/4"	7' 4 3/4"	8' 10 3/4"
7'	6' 7 3/4"	7' 4 1/2"	6' 7 1/2"	7' 4 3/4"	6' 6 1/2"	7' 8"
6'	5' 9"	6' 3 1/4"	5' 8 3/4"	6' 3 1/4"	5' 8"	6' 5 3/4"
5' 1/2"	5' 3 1/2"	5' 8 3/4"	5' 3 1/4"	5' 8 3/4"	5' 2 1/2"	5' 10 3/4"
5'	4' 10"	5' 2 1/4"	4' 9 3/4"	5' 2 1/4"	4' 9 1/4"	5' 3 3/4"
4' 1/2"	4' 4 1/4"	4' 7 3/4"	4' 4 1/4"	4' 7 3/4"	4' 3 3/4"	4' 9"
4'	3' 10 3/4"	4' 1 1/4"	3' 10 1/2"	4' 1 1/4"	3' 10 1/4"	4' 2 1/4"
3' 3/4"	3' 7 3/4"	3' 10 1/4"	3' 7 3/4"	3' 10 1/4"	3' 7 1/2"	3' 11"
3' 1/2"	3' 5"	3' 7"	3' 5"	3' 7"	3' 4 3/4"	3' 7 3/4"
3' 1/4"	3' 2 1/4"	3' 3 3/4"	3' 2"	3' 3 3/4"	3' 2"	3' 4 1/2"
3'	2' 11 1/4"	3' 0 3/4"	2' 11 1/4"	3' 0 3/4"	2' 11"	3' 1 1/4"
2' 3/4"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 9 1/2"	2' 8 1/4"	2' 10"
2' 1/2"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 3/4"
2' 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 1/2"	2' 3 1/4"	2' 2 1/2"	2' 3 1/2"
2'	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/2"
1' 3/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"
1' 1/2"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"
1' 1/4"	1' 3"	1' 3"	1' 3"	1' 3"	1' 3"	1' 3 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	71' 2"	inf	50' 6 1/4"	inf	34' 2"	inf
30'	21' 3"	83' 1 1/4"	18' 11 3/4"	347' 9 1/2"	16' 1 3/4"	inf
15'	12' 5 3/4"	21' 9 1/2"	11' 8 1/4"	27' 0 1/2"	10' 7"	38' 11"
10'	8' 10"	12' 6 1/2"	8' 5 1/4"	14' 0 3/4"	7' 10 1/4"	16' 7 3/4"
9'	8' 0 3/4"	10' 11 3/4"	7' 8 3/4"	12' 1 1/2"	7' 3"	13' 11 3/4"
8'	7' 3"	9' 6"	6' 11 3/4"	10' 4 1/4"	6' 7"	11' 7 3/4"
7'	6' 5 1/4"	8' 1 1/4"	6' 2 3/4"	8' 8 1/2"	5' 11"	9' 7"
6'	5' 7"	6' 9 1/2"	5' 5 1/4"	7' 2 1/4"	5' 2 1/4"	7' 9 1/4"
5' 1/2"	5' 1 3/4"	6' 1 3/4"	5' 0 1/4"	6' 5 1/2"	4' 9 3/4"	6' 11"
5'	4' 8 1/2"	5' 6 1/4"	4' 7 1/4"	5' 9 1/4"	4' 5 1/4"	6' 1 1/2"
4' 1/2"	4' 3 1/4"	4' 10 3/4"	4' 2 1/4"	5' 1 1/4"	4' 0 1/2"	5' 4 1/2"
4'	3' 9 3/4"	4' 3 3/4"	3' 9"	4' 5 1/2"	3' 7 3/4"	4' 8"
3' 3/4"	3' 7 1/4"	4' 0 1/4"	3' 6 1/2"	4' 1 3/4"	3' 5 1/4"	4' 3 3/4"
3' 1/2"	3' 4 1/2"	3' 8 3/4"	3' 3 3/4"	3' 10"	3' 2 3/4"	3' 11 3/4"
3' 1/4"	3' 1 3/4"	3' 5 1/4"	3' 1"	3' 6 1/4"	3' 0 1/4"	3' 7 3/4"
3'	2' 10 3/4"	3' 2"	2' 10 1/2"	3' 2 3/4"	2' 9 3/4"	3' 4"
2' 3/4"	2' 8"	2' 10 1/2"	2' 7 3/4"	2' 11 1/4"	2' 7"	3' 0 1/4"
2' 1/2"	2' 5 1/4"	2' 7 1/4"	2' 5"	2' 7 3/4"	2' 4 1/2"	2' 8 1/2"
2' 1/4"	2' 2 1/2"	2' 4"	2' 2 1/4"	2' 4 1/2"	2' 1 3/4"	2' 5"
2'	1' 11 1/2"	2' 0 3/4"	1' 11 1/2"	2' 1"	1' 11"	2' 1 1/2"
1' 3/4"	1' 8 3/4"	1' 9 1/2"	1' 8 1/2"	1' 9 3/4"	1' 8 1/4"	1' 10"
1' 1/2"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
1' 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"

Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	23' 0 1/4"	inf	15' 8 1/4"	inf	10' 10"	inf
30'	13' 2 1/2"	inf	10' 5 1/2"	inf	8' 1 1/4"	inf
15'	9' 3"	94' 10 1/2"	7' 10 1/4"	inf	6' 5 1/2"	inf
10'	7' 1 1/2"	22' 1"	6' 3 1/4"	40' 6 3/4"	5' 4 1/2"	inf
9'	6' 7 1/4"	17' 7"	5' 10 3/4"	27' 5 1/2"	5' 1 1/4"	137' 1"
8'	6' 0 3/4"	14' 0 1/4"	5' 5 1/2"	19' 6 3/4"	4' 9 1/4"	44' 10"
7'	5' 6"	11' 1 1/2"	5' 0"	14' 3 1/2"	4' 5"	24' 0 1/2"
6'	4' 10 1/2"	8' 8 1/2"	4' 5 3/4"	10' 6"	4' 0 1/4"	14' 10 1/4"
5' 1/2"	4' 6 1/2"	7' 8"	4' 2 1/2"	9' 0"	3' 9 3/4"	11' 11 1/2"
5'	4' 2 1/2"	6' 8 1/4"	3' 11"	7' 8"	3' 7"	9' 8 1/4"
4' 1/2"	3' 10 1/4"	5' 9 1/2"	3' 7 1/2"	6' 6"	3' 4"	7' 10 1/4"
4'	3' 6"	4' 11 1/2"	3' 3 3/4"	5' 5 1/2"	3' 0 3/4"	6' 4 1/4"
3' 3/4"	3' 3 3/4"	4' 6 3/4"	3' 1 3/4"	4' 11 3/4"	2' 11"	5' 8 1/2"
3' 1/2"	3' 1 1/2"	4' 2 1/4"	2' 11 1/2"	4' 6 1/4"	2' 9 1/4"	5' 1 1/4"
3' 1/4"	2' 11"	3' 10"	2' 9 1/2"	4' 1 1/4"	2' 7 1/2"	4' 6 3/4"
3'	2' 8 3/4"	3' 5 3/4"	2' 7 1/4"	3' 8 1/4"	2' 5 3/4"	4' 0 1/2"
2' 3/4"	2' 6 1/4"	3' 1 1/2"	2' 5 1/4"	3' 3 1/2"	2' 3 3/4"	3' 7"
2' 1/2"	2' 3 3/4"	2' 9 1/2"	2' 2 3/4"	2' 11 1/4"	2' 1 3/4"	3' 1 3/4"
2' 1/4"	2' 1 1/4"	2' 5 3/4"	2' 0 1/2"	2' 7"	1' 11 1/2"	2' 8 3/4"
2'	1' 10 3/4"	2' 2"	1' 10"	2' 2 3/4"	1' 9 1/4"	2' 4 1/4"
1' 3/4"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11"	1' 7"	2' 0"
1' 1/2"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/4"	1' 4 3/4"	1' 7 3/4"
1' 1/4"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4"





## Schärfentiefentabellen / depth of field tables

### Planar® T\* 1.7/50

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	197' 8 1/4"	inf	195' 2 1/4"	inf	166' 1 1/4"	inf
60'	46' 1 1/2"	85' 11 1/4"	45' 11 3/4"	89' 11"	44' 2"	137' 0 1/4"
30'	26' 1 1/4"	35' 3 1/4"	26' 0 3/4"	35' 11"	25' 5 1/2"	41' 7"
25'	22' 3"	28' 6 1/2"	22' 2 1/2"	28' 11 1/2"	21' 9 1/4"	32' 6 1/4"
20'	18' 2 1/2"	22' 2 1/4"	18' 2 1/4"	22' 5 1/4"	17' 10 3/4"	24' 6"
15'	13' 11 3/4"	16' 2 1/4"	13' 11 1/2"	16' 3 3/4"	13' 9 1/2"	17' 4 1/2"
12'	11' 4"	12' 9"	11' 4"	12' 10"	11' 2 3/4"	13' 5 1/2"
11'	10' 5 1/4"	11' 7 1/2"	10' 5 1/4"	11' 8 1/4"	10' 4"	12' 2 1/2"
10'	9' 6 1/2"	10' 6"	9' 6 1/2"	10' 6 3/4"	9' 5 1/2"	10' 11 3/4"
9'	8' 7 1/2"	9' 4 3/4"	8' 7 1/2"	9' 5 1/2"	8' 6 3/4"	9' 9 1/2"
8' 1/2"	8' 2"	8' 10 1/4"	8' 2"	8' 10 3/4"	8' 1 1/4"	9' 2 1/4"
8'	7' 8 1/2"	8' 3 3/4"	7' 8 1/2"	8' 4 1/4"	7' 7 3/4"	8' 7 1/4"
7' 1/2"	7' 3"	7' 9 1/4"	7' 3"	7' 9 3/4"	7' 2 1/4"	8' 0 1/4"
7'	6' 9 1/4"	7' 2 3/4"	6' 9 1/4"	7' 3 1/4"	6' 8 3/4"	7' 5 1/2"
6' 1/2"	6' 3 3/4"	6' 8 1/2"	6' 3 3/4"	6' 8 3/4"	6' 3 1/4"	6' 10 3/4"
6'	5' 10"	6' 2"	5' 10"	6' 2 1/4"	5' 9 3/4"	6' 4"
5' 3/4"	5' 7 1/4"	5' 11"	5' 7 1/4"	5' 11"	5' 6 3/4"	6' 0 1/2"
5' 1/2"	5' 4 1/4"	5' 7 3/4"	5' 4 1/4"	5' 8"	5' 4"	5' 9 1/4"
5' 1/4"	5' 1 1/2"	5' 4 1/2"	5' 1 1/2"	5' 4 3/4"	5' 1 1/4"	5' 6"
5'	4' 10 3/4"	5' 1 1/2"	4' 10 3/4"	5' 1 1/2"	4' 10 1/2"	5' 2 3/4"
4' 3/4"	4' 7 3/4"	4' 10 1/4"	4' 7 3/4"	4' 10 1/2"	4' 7 1/2"	4' 11 1/4"
4' 1/2"	4' 5"	4' 7"	4' 5"	4' 7 1/4"	4' 4 3/4"	4' 8"
4' 1/4"	4' 2"	4' 4"	4' 2"	4' 4"	4' 1 3/4"	4' 4 3/4"
4'	3' 11 1/4"	4' 0 3/4"	3' 11 1/4"	4' 1"	3' 11"	4' 1 1/2"
3' 3/4"	3' 8 1/4"	3' 9 3/4"	3' 8 1/4"	3' 9 3/4"	3' 8 1/4"	3' 10 1/2"
3' 1/2"	3' 5 1/4"	3' 6 3/4"	3' 5 1/4"	3' 6 3/4"	3' 5 1/4"	3' 7 1/4"
3' 1/4"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 4"
3'	2' 11 1/2"	3' 0 1/2"	2' 11 1/2"	3' 0 1/2"	2' 11 1/2"	3' 0 3/4"
2' 3/4"	2' 8 3/4"	2' 9 1/2"	2' 8 3/4"	2' 9 1/2"	2' 8 1/2"	2' 9 3/4"
2' 1/2"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"
2' 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"
2'	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"	1' 11 3/4"	2' 0 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	125' 7 1/2"	inf	85' 7 1/2"	inf	56' 5 1/4"	inf
60'	40' 8 1/4"	378' 0 1/2"	35' 4 1/2"	inf	29' 2 1/4"	inf
30'	24' 3 1/2"	51' 5 1/4"	22' 3 1/2"	71' 8 3/4"	19' 8 1/4"	143' 4 1/2"
25'	20' 11"	38' 2 3/4"	19' 5"	48' 4 1/4"	17' 5"	72' 9 1/2"
20'	17' 3 3/4"	27' 7 1/4"	16' 3 1/4"	32' 5 3/4"	14' 10 1/4"	41' 10 1/2"
15'	13' 5 1/4"	18' 10 1/4"	12' 9 3/4"	21' 0"	11' 11"	24' 6 1/4"
12'	10' 11 3/4"	14' 3 3/4"	10' 6 3/4"	15' 6"	9' 11 1/2"	17' 4"
11'	10' 1 3/4"	12' 11"	9' 9 1/2"	13' 10 1/4"	9' 3 1/4"	15' 3 1/2"
10'	9' 3 1/2"	11' 6 1/2"	9' 0"	12' 3 1/2"	8' 6 3/4"	13' 4 3/4"
9'	8' 5"	10' 2 3/4"	8' 2 1/4"	10' 9 3/4"	7' 9 3/4"	11' 7 3/4"
8' 1/2"	7' 11 3/4"	9' 7"	7' 9 1/4"	10' 1"	7' 5 1/4"	10' 9 3/4"
8'	7' 6 1/2"	8' 11 1/4"	7' 4 1/4"	9' 4 1/2"	7' 0 3/4"	10' 0"
7' 1/2"	7' 1 1/4"	8' 3 3/4"	6' 11 1/4"	8' 8 1/4"	6' 8"	9' 2 3/4"
7'	6' 7 3/4"	7' 8 1/2"	6' 6"	8' 0 1/4"	6' 3 1/4"	8' 5 1/2"
6' 1/2"	6' 2 1/2"	7' 1 1/4"	6' 0 3/4"	7' 4 1/2"	5' 10 1/2"	7' 8 3/4"
6'	5' 9"	6' 6"	5' 7 1/2"	6' 8 3/4"	5' 5 1/2"	7' 0 1/4"
5' 3/4"	5' 6 1/4"	6' 2 1/2"	5' 5"	6' 5"	5' 3"	6' 8 1/4"
5' 1/2"	5' 3 1/2"	5' 11"	5' 2 1/4"	6' 1 1/4"	5' 0 1/2"	6' 4 1/4"
5' 1/4"	5' 0 3/4"	5' 7 1/2"	4' 11 3/4"	5' 9 1/2"	4' 10"	6' 0"
5'	4' 10"	5' 4"	4' 9"	5' 5 3/4"	4' 7 1/2"	5' 8 1/4"
4' 3/4"	4' 7"	5' 0 1/2"	4' 6 1/4"	5' 2 1/4"	4' 5"	5' 4 1/4"
4' 1/2"	4' 4 1/4"	4' 9 1/4"	4' 3 1/2"	4' 10 1/2"	4' 2 1/2"	5' 0 1/2"
4' 1/4"	4' 1 1/2"	4' 5 3/4"	4' 0 3/4"	4' 7"	3' 11 3/4"	4' 8 3/4"
4'	3' 10 3/4"	4' 2 1/2"	3' 10"	4' 3 1/2"	3' 9 1/4"	4' 5"
3' 3/4"	3' 7 3/4"	3' 11 1/4"	3' 7 1/4"	4' 0"	3' 6 1/2"	4' 1 1/4"
3' 1/2"	3' 5"	3' 7 3/4"	3' 4 1/2"	3' 8 1/2"	3' 3 3/4"	3' 9 1/2"
3' 1/4"	3' 2 1/4"	3' 4 1/2"	3' 1 3/4"	3' 5 1/4"	3' 1 1/4"	3' 6"
3'	2' 11 1/4"	3' 1 1/4"	2' 11"	3' 1 3/4"	2' 10 1/2"	3' 2 1/2"
2' 3/4"	2' 8 1/2"	2' 10"	2' 8 1/4"	2' 10 1/2"	2' 7 3/4"	2' 11"
2' 1/2"	2' 5 1/2"	2' 6 3/4"	2' 5 1/4"	2' 7 1/4"	2' 5"	2' 7 3/4"
2' 1/4"	2' 2 1/2"	2' 3 3/4"	2' 2 1/2"	2' 4"	2' 2 1/4"	2' 4 1/4"
2'	1' 11 3/4"	2' 0 1/2"	1' 11 1/2"	2' 0 3/4"	1' 11 1/4"	2' 1"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	37' 4 3/4"	inf	25' 3 1/4"	inf	17' 4 1/4"	inf
60'	23' 1 3/4"	inf	17' 10 1/2"	inf	13' 6 1/2"	inf
30'	16' 9 1/4"	inf	13' 10"	inf	11' 1 1/4"	inf
25'	15' 1 1/4"	226' 7"	12' 8 1/4"	inf	10' 4 1/4"	inf
20'	13' 1 3/4"	68' 5 1/2"	11' 3 1/2"	633' 8"	9' 5"	inf
15'	10' 9 3/4"	31' 7 3/4"	9' 6 1/4"	53' 6 1/4"	8' 2"	2659' 6 1/4"
12'	9' 2"	20' 7"	8' 3"	27' 11 1/4"	7' 2 1/2"	56' 8 1/4"
11'	8' 7"	17' 9"	7' 9 1/4"	22' 11 1/2"	6' 10 1/4"	39' 2 3/4"
10'	7' 11 3/4"	15' 3"	7' 3 1/4"	18' 11"	6' 5 1/2"	28' 7 3/4"
9'	7' 4"	13' 0"	6' 8 3/4"	15' 6 3/4"	6' 0 1/2"	21' 6 1/2"
8' 1/2"	7' 0"	11' 11 1/2"	6' 5 1/2"	14' 1"	5' 9 3/4"	18' 9 1/2"
8'	6' 8"	10' 11 3/4"	6' 2"	12' 8 3/4"	5' 7"	16' 5 1/4"
7' 1/2"	6' 3 3/4"	10' 0 1/2"	5' 10 1/2"	11' 5 3/4"	5' 4"	14' 4 3/4"
7'	5' 11 1/2"	9' 1 3/4"	5' 6 3/4"	10' 3 3/4"	5' 1"	12' 7 1/4"
6' 1/2"	5' 7 1/4"	8' 3 1/2"	5' 3"	9' 3"	4' 10"	11' 0 1/4"
6'	5' 2 3/4"	7' 5 3/4"	4' 11"	8' 3"	4' 6 3/4"	9' 7 1/2"
5' 3/4"	5' 0 1/2"	7' 1 1/4"	4' 9"	7' 9 1/4"	4' 5"	8' 11 1/2"
5' 1/2"	4' 10 1/4"	6' 8 1/2"	4' 7"	7' 3 3/4"	4' 3 1/4"	8' 4 1/4"
5' 1/4"	4' 7 3/4"	6' 4"	4' 5"	6' 10 1/4"	4' 1 1/2"	7' 9 1/4"
5'	4' 5 1/2"	5' 11 1/2"	4' 3"	6' 5 1/4"	3' 11 3/4"	7' 2 1/2"
4' 3/4"	4' 3 1/4"	5' 7 1/4"	4' 0 3/4"	6' 0 1/4"	3' 9 3/4"	6' 8 1/4"
4' 1/2"	4' 0 3/4"	5' 3"	3' 10 1/2"	5' 7 1/4"	3' 8"	6' 2 1/4"
4' 1/4"	3' 10 1/4"	4' 11"	3' 8 1/2"	5' 2 1/2"	3' 6"	5' 8 1/2"
4'	3' 7 3/4"	4' 7"	3' 6 1/4"	4' 10"	3' 4"	5' 3"
3' 3/4"	3' 5 1/2"	4' 3"	3' 3 3/4"	4' 5 1/2"	3' 2"	4' 9 3/4"
3' 1/2"	3' 2 3/4"	3' 11"	3' 1 1/2"	4' 1 1/4"	2' 11 3/4"	4' 4 3/4"
3' 1/4"	3' 0 1/4"	3' 7 1/4"	2' 11 1/4"	3' 9"	2' 9 3/4"	4' 0"
3'	2' 9 3/4"	3' 3 1/2"	2' 8 3/4"	3' 5"	2' 7 1/2"	3' 7 1/4"
2' 3/4"	2' 7"	3' 0"	2' 6 1/4"	3' 1"	2' 5 1/4"	3' 3"
2' 1/2"	2' 4 1/2"	2' 8 1/4"	2' 3 3/4"	2' 9 1/4"	2' 3"	2' 10 3/4"
2' 1/4"	2' 1 3/4"	2' 4 3/4"	2' 1 1/4"	2' 5 1/2"	2' 0 1/2"	2' 6 1/2"
2'	1' 11"	2' 1 1/4"	1' 10 3/4"	2' 1 3/4"	1' 10"	2' 2 3/4"



## Schärfentiefentabellen / depth of field tables

### Planar® T\* 1.7/65

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	475' 3"	inf	437' 8 3/4"	inf	328' 3 3/4"	inf
60'	53' 3 3/4"	80' 2 3/4"	52' 9 3/4"	81' 4 3/4"	50' 9 1/2"	98' 10 1/4"
30'	28' 3"	34' 3 1/4"	28' 1 1/4"	34' 5 3/4"	27' 6 1/4"	37' 2 3/4"
25'	23' 9 1/4"	27' 10 1/2"	23' 8"	28' 0 1/4"	23' 3 1/4"	29' 9 1/2"
20'	19' 2 1/2"	21' 9 1/2"	19' 1 3/4"	21' 10 1/2"	18' 10 1/2"	22' 11 1/4"
15'	14' 6 3/4"	15' 11 3/4"	14' 6 1/4"	16' 0 1/4"	14' 4 1/4"	16' 6 3/4"
12'	11' 8 1/2"	12' 7 1/4"	11' 8 1/4"	12' 7 1/2"	11' 7"	12' 11 3/4"
11'	10' 9 1/4"	11' 6"	10' 9"	11' 6 1/4"	10' 8"	11' 9 3/4"
10'	9' 9 3/4"	10' 5"	9' 9 1/2"	10' 5 1/4"	9' 8 1/2"	10' 8"
9'	8' 10"	9' 4"	8' 10"	9' 4 1/4"	8' 9 1/4"	9' 6 1/4"
8' 1/2"	8' 4 1/4"	8' 9 1/2"	8' 4 1/4"	8' 9 3/4"	8' 3 1/2"	8' 11 1/2"
8'	7' 10 1/2"	8' 3"	7' 10 1/2"	8' 3 1/4"	7' 9 3/4"	8' 5"
7' 1/2"	7' 4 3/4"	7' 8 3/4"	7' 4 1/2"	7' 8 3/4"	7' 4"	7' 10 1/4"
7'	6' 10 3/4"	7' 2 1/4"	6' 10 3/4"	7' 2 1/2"	6' 10 1/4"	7' 3 3/4"
6' 1/2"	6' 5"	6' 8"	6' 5"	6' 8"	6' 4 1/2"	6' 9 1/4"
6'	5' 11 1/4"	6' 1 3/4"	5' 11"	6' 1 3/4"	5' 10 3/4"	6' 2 3/4"
5' 3/4"	5' 8 1/4"	5' 10 1/2"	5' 8 1/4"	5' 10 1/2"	5' 8"	5' 11 1/2"
5' 1/2"	5' 5 1/4"	5' 7 1/2"	5' 5 1/4"	5' 7 1/2"	5' 5"	5' 8 1/4"
5' 1/4"	5' 2 1/2"	5' 4 1/4"	5' 2 1/4"	5' 4 1/4"	5' 2"	5' 5"
5'	4' 11 1/2"	5' 1"	4' 11 1/2"	5' 1 1/4"	4' 11 1/4"	5' 1 3/4"
4' 3/4"	4' 8 1/2"	4' 10"	4' 8 1/2"	4' 10"	4' 8 1/4"	4' 10 1/2"
4' 1/2"	4' 5 1/2"	4' 7"	4' 5 1/2"	4' 7"	4' 5 1/4"	4' 7 1/2"
4' 1/4"	4' 2 1/2"	4' 3 3/4"	4' 2 1/2"	4' 3 3/4"	4' 2 1/2"	4' 4 1/4"
4'	3' 11 3/4"	4' 0 3/4"	3' 11 1/2"	4' 0 3/4"	3' 11 1/2"	4' 1"
3' 3/4"	3' 8 3/4"	3' 9 1/2"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 10"
3' 1/2"	3' 5 3/4"	3' 6 1/2"	3' 5 3/4"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"
3' 1/4"	3' 2 3/4"	3' 3 1/2"	3' 2 3/4"	3' 3 1/2"	3' 2 3/4"	3' 3 3/4"
3'	2' 11 3/4"	3' 0 1/4"	2' 11 3/4"	3' 0 1/4"	2' 11 3/4"	3' 0 1/2"
2' 3/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"
2' 1/2"	2' 6"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"
2' 1/4"	2' 3"	2' 3 1/4"	2' 3"	2' 3 1/4"	2' 2 3/4"	2' 3 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	227' 9"	inf	147' 6 1/4"	inf	94' 9"	inf
60'	47' 6 3/4"	135' 10 1/2"	42' 9"	251' 5 1/4"	36' 10 1/4"	inf
30'	26' 6 3/4"	41' 5 1/4"	25' 0"	48' 1 1/4"	22' 10 1/2"	60' 8 3/4"
25'	22' 6 3/4"	32' 5"	21' 5 1/4"	36' 4 1/4"	19' 10 1/2"	43' 1"
20'	18' 5"	24' 5 1/4"	17' 8"	26' 7 1/4"	16' 7"	30' 0"
15'	14' 1 1/4"	17' 4"	13' 8"	18' 4 1/2"	13' 0 1/4"	19' 11"
12'	11' 5"	13' 5 1/4"	11' 1 1/2"	14' 0 1/2"	10' 8 1/2"	14' 11"
11'	10' 6 1/4"	12' 2 1/4"	10' 3 1/4"	12' 8 1/4"	9' 11"	13' 4 3/4"
10'	9' 7 1/4"	10' 11 1/2"	9' 4 3/4"	11' 4 1/4"	9' 1"	11' 11"
9'	8' 8"	9' 9 1/4"	8' 6"	10' 1"	8' 3 1/4"	10' 6 1/4"
8' 1/2"	8' 2 1/2"	9' 2"	8' 0 3/4"	9' 5 1/2"	7' 10"	9' 10"
8'	7' 9"	8' 7"	7' 7 1/4"	8' 10"	7' 5"	9' 2"
7' 1/2"	7' 3 1/4"	8' 0 1/4"	7' 2"	8' 2 3/4"	6' 11 3/4"	8' 6"
7'	6' 9 3/4"	7' 5 1/4"	6' 8 1/2"	7' 7 1/2"	6' 6 3/4"	7' 10 1/4"
6' 1/2"	6' 4"	6' 10 1/2"	6' 3"	7' 0 1/4"	6' 1 1/2"	7' 2 3/4"
6'	5' 10 1/4"	6' 3 3/4"	5' 9 1/2"	6' 5 1/4"	5' 8"	6' 7 1/4"
5' 3/4"	5' 7 1/2"	6' 0 1/2"	5' 6 3/4"	6' 1 3/4"	5' 5 1/2"	6' 3 3/4"
5' 1/2"	5' 4 1/2"	5' 9 1/4"	5' 3 3/4"	5' 10 1/4"	5' 2 3/4"	6' 0"
5' 1/4"	5' 1 3/4"	5' 5 3/4"	5' 1"	5' 7"	5' 0"	5' 8 1/2"
5'	4' 10 3/4"	5' 2 1/2"	4' 10 1/4"	5' 3 1/2"	4' 9 1/4"	5' 4 3/4"
4' 3/4"	4' 8"	4' 11 1/4"	4' 7 1/2"	5' 0 1/4"	4' 6 1/2"	5' 1 1/4"
4' 1/2"	4' 5"	4' 8"	4' 4 1/2"	4' 8 3/4"	4' 3 3/4"	4' 9 3/4"
4' 1/4"	4' 2 1/4"	4' 4 3/4"	4' 1 3/4"	4' 5 1/2"	4' 1"	4' 6 1/4"
4'	3' 11 1/4"	4' 1 1/2"	3' 11"	4' 2 1/4"	3' 10 1/4"	4' 3"
3' 3/4"	3' 8 1/4"	3' 10 1/4"	3' 8"	3' 10 3/4"	3' 7 1/2"	3' 11 1/2"
3' 1/2"	3' 5 1/2"	3' 7 1/4"	3' 5 1/4"	3' 7 1/2"	3' 4 3/4"	3' 8 1/4"
3' 1/4"	3' 2 1/2"	3' 4"	3' 2 1/4"	3' 4 1/4"	3' 2"	3' 4 3/4"
3'	2' 11 1/2"	3' 0 3/4"	2' 11 1/2"	3' 1"	2' 11"	3' 1 1/2"
2' 3/4"	2' 8 3/4"	2' 9 3/4"	2' 8 1/2"	2' 10"	2' 8 1/4"	2' 10 1/4"
2' 1/2"	2' 5 3/4"	2' 6 1/2"	2' 5 1/2"	2' 6 3/4"	2' 5 1/2"	2' 7"
2' 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 3 1/2"	2' 2 1/2"	2' 3 3/4"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	62' 3 1/2"	inf	41' 7 1/2"	inf	28' 5"	inf
60'	30' 8 1/2"	inf	24' 8 1/2"	inf	19' 5"	inf
30'	20' 4 1/2"	94' 11 1/4"	17' 7"	428' 8 1/2"	14' 8 3/4"	inf
25'	17' 11 1/2"	57' 9 1/2"	15' 9"	109' 5 1/2"	13' 5 1/4"	inf
20'	15' 3"	36' 5"	13' 7 3/4"	51' 8 1/2"	11' 10 1/2"	127' 10 1/2"
15'	12' 2"	22' 6 1/2"	11' 1 3/4"	27' 6 1/4"	9' 11 1/2"	40' 1"
12'	10' 1 3/4"	16' 3 3/4"	9' 5"	18' 9"	8' 6 3/4"	23' 9 1/4"
11'	9' 5"	14' 6"	8' 9 1/2"	16' 4 1/2"	8' 0 1/2"	20' 0 1/2"
10'	8' 8 1/4"	12' 9 1/2"	8' 1 3/4"	14' 2 1/2"	7' 6 1/4"	16' 10 3/4"
9'	7' 11"	11' 2"	7' 5 3/4"	12' 2 3/4"	6' 11 1/4"	14' 1 3/4"
8' 1/2"	7' 6 1/2"	10' 4 3/4"	7' 1 3/4"	11' 3 3/4"	6' 7 3/4"	12' 11"
8'	7' 1 3/4"	9' 7 3/4"	6' 9 1/2"	10' 5 1/4"	6' 4 1/4"	11' 9 1/4"
7' 1/2"	6' 9"	8' 11"	6' 5 1/4"	9' 7"	6' 0 1/2"	10' 8 1/4"
7'	6' 4 1/4"	8' 2 1/2"	6' 0 3/4"	8' 9 1/4"	5' 8 1/2"	9' 8 1/4"
6' 1/2"	5' 11 1/4"	7' 6 1/4"	5' 8 1/4"	7' 11 3/4"	5' 4 1/2"	8' 8 3/4"
6'	5' 6 1/4"	6' 10 1/4"	5' 3 3/4"	7' 2 3/4"	5' 0 1/2"	7' 10"
5' 3/4"	5' 3 3/4"	6' 6 1/4"	5' 1 1/2"	6' 10 1/4"	4' 10 1/2"	7' 4 3/4"
5' 1/2"	5' 1 1/4"	6' 2 1/2"	4' 11"	6' 6"	4' 8 1/4"	6' 11 3/4"
5' 1/4"	4' 10 1/2"	5' 10 1/2"	4' 8 3/4"	6' 1 3/4"	4' 6 1/4"	6' 6 3/4"
5'	4' 8"	5' 6 3/4"	4' 6 1/4"	5' 9 1/2"	4' 4"	6' 2"
4' 3/4"	4' 5 1/2"	5' 3"	4' 3 3/4"	5' 5 1/2"	4' 1 3/4"	5' 9 1/2"
4' 1/2"	4' 2 3/4"	4' 11 1/4"	4' 1 1/4"	5' 1 1/2"	3' 11 1/2"	5' 5"
4' 1/4"	4' 0 1/4"	4' 7 3/4"	3' 11"	4' 9 1/2"	3' 9 1/4"	5' 0 1/2"
4'	3' 9 1/2"	4' 4"	3' 8 1/4"	4' 5 3/4"	3' 6 3/4"	4' 8 1/4"
3' 3/4"	3' 6 3/4"	4' 0 1/2"	3' 5 3/4"	4' 2"	3' 4 1/2"	4' 4"
3' 1/2"	3' 4"	3' 9"	3' 3 1/4"	3' 10 1/4"	3' 2"	4' 0"
3' 1/4"	3' 1 1/2"	3' 5 1/2"	3' 0 3/4"	3' 6 1/2"	2' 11 3/4"	3' 8"
3'	2' 10 3/4"	3' 2"	2' 10"	3' 3"	2' 9 1/4"	3' 4"
2' 3/4"	2' 8"	2' 10 3/4"	2' 7 1/2"	2' 11 1/4"	2' 6 3/4"	3' 0 1/4"
2' 1/2"	2' 5"	2' 7 1/4"	2' 4 3/4"	2' 7 3/4"	2' 4 1/4"	2' 8 1/2"
2' 1/4"	2' 2 1/4"	2' 4"	2' 2"	2' 4 1/2"	2' 1 1/2"	2' 5"



## Schärfentiefentabellen / depth of field tables

### Planar® T\* 1.7/85

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	511' 11"	inf	484' 7 1/2"	inf	480' 4 1/4"	inf
60'	53' 9 1/4"	67' 10 1/2"	53' 5 1/2"	68' 4 1/2"	53' 4 3/4"	77' 9"
30'	28' 4 1/2"	31' 10"	28' 3 1/2"	31' 11 1/4"	28' 3 1/4"	33' 9 3/4"
25'	23' 10 1/2"	26' 3"	23' 9 3/4"	26' 3 3/4"	23' 9 1/2"	27' 6 3/4"
20'	19' 3 1/4"	20' 9 1/2"	19' 2 3/4"	20' 10"	19' 2 3/4"	21' 7 1/4"
15'	14' 7"	15' 5 1/4"	14' 6 3/4"	15' 5 1/2"	14' 6 3/4"	15' 10 1/2"
12'	11' 9"	12' 3 1/4"	11' 8 3/4"	12' 3 1/2"	11' 8 3/4"	12' 6 1/2"
11'	10' 9 1/2"	11' 2 3/4"	10' 9 1/4"	11' 2 3/4"	10' 9 1/4"	11' 5 1/2"
10'	9' 9 3/4"	10' 2 1/4"	9' 9 3/4"	10' 2 1/4"	9' 9 3/4"	10' 4 1/2"
9'	8' 10 1/4"	9' 1 3/4"	8' 10 1/4"	9' 2"	8' 10 1/4"	9' 3 1/2"
8' 1/2"	8' 4 1/2"	8' 7 1/2"	8' 4 1/2"	8' 7 3/4"	8' 4 1/4"	8' 9"
8'	7' 10 3/4"	8' 1 1/2"	7' 10 1/2"	8' 1 1/2"	7' 10 1/2"	8' 2 3/4"
7' 1/2"	7' 4 3/4"	7' 7 1/4"	7' 4 3/4"	7' 7 1/4"	7' 4 3/4"	7' 8 1/4"
7'	6' 11"	7' 1"	6' 11"	7' 1"	6' 11"	7' 2"
6' 1/2"	6' 5 1/4"	6' 7"	6' 5"	6' 7"	6' 5"	6' 7 3/4"
6'	5' 11 1/4"	6' 0 3/4"	5' 11 1/4"	6' 0 3/4"	5' 11 1/4"	6' 1 1/2"
5' 3/4"	5' 8 1/4"	5' 9 3/4"	5' 8 1/4"	5' 9 3/4"	5' 8 1/4"	5' 10 1/4"
5' 1/2"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 6 3/4"	5' 5 1/4"	5' 7 1/4"
5' 1/4"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 4"
5'	4' 11 1/2"	5' 0 1/2"	4' 11 1/2"	5' 0 1/2"	4' 11 1/2"	5' 1"
4' 3/4"	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 3/4"
4' 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"
4' 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 1/2"	4' 3 3/4"
4'	3' 11 3/4"	4' 0 1/4"	3' 11 3/4"	4' 0 1/4"	3' 11 3/4"	4' 0 1/2"
3' 3/4"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"
3' 1/2"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3' 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"
3'	2' 11 3/4"	3' 0 1/4"	2' 11 3/4"	3' 0 1/4"	2' 11 3/4"	3' 0 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	361' 3 3/4"	inf	239' 0 1/4"	inf	156' 0 1/4"	inf
60'	51' 6 1/4"	90' 6 1/2"	48' 0 1/2"	111' 11 1/2"	43' 5 1/2"	161' 10 1/2"
30'	27' 8 3/4"	35' 11 3/4"	26' 8 1/2"	38' 10 3/4"	25' 3"	43' 6"
25'	23' 5"	29' 0"	22' 8 1/4"	30' 10 1/4"	21' 7 1/2"	33' 7 3/4"
20'	18' 11 3/4"	22' 5 1/2"	18' 6"	23' 6 1/2"	17' 9 1/2"	25' 1 1/2"
15'	14' 5"	16' 3 3/4"	14' 1 3/4"	16' 10 1/2"	13' 8 3/4"	17' 8"
12'	11' 7 1/2"	12' 9 3/4"	11' 5 1/2"	13' 1 3/4"	11' 2 1/4"	13' 7 1/2"
11'	10' 8 1/4"	11' 8"	10' 6 1/2"	11' 11 1/2"	10' 3 3/4"	12' 4"
10'	9' 9"	10' 6 1/2"	9' 7 1/2"	10' 9 1/4"	9' 5 1/4"	11' 1"
9'	8' 9 1/2"	9' 5 1/4"	8' 8 1/4"	9' 7 1/2"	8' 6 1/2"	9' 10 1/4"
8' 1/2"	8' 3 3/4"	8' 10 3/4"	8' 2 3/4"	9' 0 1/2"	8' 1"	9' 3"
8'	7' 10"	8' 4"	7' 9"	8' 5 3/4"	7' 7 3/4"	8' 8"
7' 1/2"	7' 4 1/4"	7' 9 1/2"	7' 3 1/2"	7' 11"	7' 2 1/4"	8' 1"
7'	6' 10 1/2"	7' 3"	6' 9 3/4"	7' 4 1/4"	6' 8 3/4"	7' 6"
6' 1/2"	6' 4 3/4"	6' 8 1/2"	6' 4"	6' 9 1/2"	6' 3 1/4"	6' 11"
6'	5' 11"	6' 2 1/4"	5' 10 1/2"	6' 3"	5' 9 1/2"	6' 4 1/4"
5' 3/4"	5' 8"	5' 11"	5' 7 1/2"	5' 11 3/4"	5' 6 3/4"	6' 0 3/4"
5' 1/2"	5' 5"	5' 7 3/4"	5' 4 3/4"	5' 8 1/2"	5' 4"	5' 9 1/2"
5' 1/4"	5' 2 1/4"	5' 4 1/2"	5' 1 3/4"	5' 5 1/4"	5' 1 1/4"	5' 6"
5'	4' 11 1/4"	5' 1 1/2"	4' 11"	5' 2"	4' 10 1/4"	5' 2 3/4"
4' 3/4"	4' 8 1/4"	4' 10 1/4"	4' 8"	4' 10 3/4"	4' 7 1/2"	4' 11 1/2"
4' 1/2"	4' 5 1/2"	4' 7 1/4"	4' 5 1/4"	4' 7 1/2"	4' 4 3/4"	4' 8 1/4"
4' 1/4"	4' 2 1/2"	4' 4"	4' 2 1/4"	4' 4 1/2"	4' 1 3/4"	4' 5"
4'	3' 11 1/2"	4' 1"	3' 11 1/4"	4' 1 1/4"	3' 11"	4' 1 3/4"
3' 3/4"	3' 8 1/2"	3' 9 3/4"	3' 8 1/2"	3' 10"	3' 8"	3' 10 1/2"
3' 1/2"	3' 5 3/4"	3' 6 3/4"	3' 5 1/2"	3' 7"	3' 5 1/4"	3' 7 1/4"
3' 1/4"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"
3'	2' 11 3/4"	3' 0 1/2"	2' 11 3/4"	3' 0 1/2"	2' 11 1/2"	3' 0 3/4"





Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	101' 8 3/4"	inf	67' 11"	inf	46' 2"	inf
60'	37' 10 3/4"	391' 0 1/4"	32' 0 1/4"	inf	26' 3"	inf
30'	23' 3 1/4"	51' 6"	20' 11 1/2"	69' 4"	18' 4 1/4"	135' 5 1/2"
25'	20' 2"	38' 2 3/4"	18' 4 3/4"	47' 2 1/4"	16' 4 1/2"	70' 5 3/4"
20'	16' 9 3/4"	27' 6 3/4"	15' 6 3/4"	31' 10 3/4"	14' 1 1/4"	41' 0"
15'	13' 1 3/4"	18' 9 3/4"	12' 4 3/4"	20' 8 3/4"	11' 5 1/2"	24' 1 3/4"
12'	10' 9 1/2"	14' 3 1/2"	10' 3 1/2"	15' 4"	9' 7 3/4"	17' 1 1/2"
11'	9' 11 3/4"	12' 10 1/2"	9' 6 1/2"	13' 8 3/4"	9' 0"	15' 1 1/2"
10'	9' 2"	11' 6 1/4"	8' 9 1/2"	12' 2 1/4"	8' 3 3/4"	13' 3"
9'	8' 3 3/4"	10' 2 1/4"	8' 0 1/4"	10' 8 1/2"	7' 7 1/2"	11' 6 1/4"
8' 1/2"	7' 10 3/4"	9' 6 1/2"	7' 7 1/2"	10' 0"	7' 3 1/4"	10' 8 1/2"
8'	7' 5 1/2"	8' 11"	7' 2 3/4"	9' 3 1/2"	6' 11"	9' 10 3/4"
7' 1/2"	7' 0 1/4"	8' 3 1/2"	6' 9 3/4"	8' 7 1/2"	6' 6 1/2"	9' 1 1/2"
7'	6' 7"	7' 8 1/4"	6' 4 3/4"	7' 11 1/2"	6' 2"	8' 4 3/4"
6' 1/2"	6' 1 3/4"	7' 1"	5' 11 3/4"	7' 3 3/4"	5' 9 1/4"	7' 8"
6'	5' 8 1/2"	6' 5 3/4"	5' 6 3/4"	6' 8"	5' 4 1/2"	6' 11 1/2"
5' 3/4"	5' 5 3/4"	6' 2 1/4"	5' 4 1/4"	6' 4 1/4"	5' 2 1/4"	6' 7 1/2"
5' 1/2"	5' 3"	5' 10 3/4"	5' 1 3/4"	6' 0 3/4"	4' 11 3/4"	6' 3 1/2"
5' 1/4"	5' 0 1/4"	5' 7 1/4"	4' 11"	5' 9"	4' 9 1/4"	5' 11 1/2"
5'	4' 9 1/2"	5' 3 3/4"	4' 8 1/2"	5' 5 1/4"	4' 7"	5' 7 1/2"
4' 3/4"	4' 6 3/4"	5' 0 1/2"	4' 5 3/4"	5' 1 3/4"	4' 4 1/2"	5' 3 3/4"
4' 1/2"	4' 4"	4' 9"	4' 3 1/4"	4' 10 1/4"	4' 2"	5' 0"
4' 1/4"	4' 1 1/4"	4' 5 3/4"	4' 0 1/2"	4' 6 3/4"	3' 11 1/2"	4' 8 1/4"
4'	3' 10 1/2"	4' 2 1/4"	3' 9 3/4"	4' 3 1/4"	3' 8 3/4"	4' 4 1/2"
3' 3/4"	3' 7 3/4"	3' 11"	3' 7"	3' 11 3/4"	3' 6 1/4"	4' 0 3/4"
3' 1/2"	3' 4 3/4"	3' 7 3/4"	3' 4 1/4"	3' 8 1/4"	3' 3 1/2"	3' 9 1/4"
3' 1/4"	3' 2"	3' 4 1/2"	3' 1 1/2"	3' 5"	3' 1"	3' 5 3/4"
3'	2' 11 1/4"	3' 1 1/4"	2' 10 3/4"	3' 1 1/2"	2' 10 1/4"	3' 2 1/4"



## Schärfentiefentabellen / depth of field tables

### Sonnar® T\* 1.7/100

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	755' 3 3/4"	inf	730' 5 3/4"	inf	477' 10"	inf
150'	125' 2 3/4"	187' 0 3/4"	124' 6 1/2"	190' 9 1/4"	114' 3 1/2"	210' 4 3/4"
70'	64' 1 1/4"	77' 1 1/4"	63' 11 1/4"	77' 8 1/2"	61' 1 1/2"	80' 9 1/4"
60'	55' 7 1/2"	65' 1 1/2"	55' 5 3/4"	65' 6 3/4"	53' 4 1/2"	67' 8 3/4"
50'	46' 11 1/4"	53' 6"	46' 10"	53' 9 1/2"	45' 3 3/4"	55' 3"
40'	38' 0 1/4"	42' 2 1/2"	37' 11 1/2"	42' 4 3/4"	36' 11 1/2"	43' 3 1/4"
30'	28' 10 1/2"	31' 2 1/2"	28' 10"	31' 3 3/4"	28' 3 1/4"	31' 9 1/2"
25'	24' 2 1/2"	25' 10"	24' 2 1/4"	25' 10 3/4"	23' 9 1/2"	26' 2 3/4"
20'	19' 6"	20' 6 1/4"	19' 5 3/4"	20' 6 3/4"	19' 2 3/4"	20' 9 1/4"
19'	18' 6 1/2"	19' 5 3/4"	18' 6 1/2"	19' 6 1/4"	18' 3 1/2"	19' 8 1/4"
18'	17' 7 1/4"	18' 5"	17' 7"	18' 5 1/2"	17' 4 1/2"	18' 7 1/2"
17'	16' 7 3/4"	17' 4 1/2"	16' 7 1/2"	17' 5"	16' 5 1/4"	17' 6 3/4"
16'	15' 8 1/4"	16' 4"	15' 8"	16' 4 1/4"	15' 6"	16' 5 3/4"
15'	14' 8 3/4"	15' 3 1/2"	14' 8 1/2"	15' 3 3/4"	14' 6 3/4"	15' 5"
14'	13' 9"	14' 3"	13' 9"	14' 3 1/4"	13' 7 1/2"	14' 4 1/2"
13'	12' 9 1/2"	13' 2 1/2"	12' 9 1/2"	13' 2 3/4"	12' 8"	13' 3 3/4"
12'	11' 9 3/4"	12' 2 1/4"	11' 9 3/4"	12' 2 1/4"	11' 8 3/4"	12' 3 1/4"
11'	10' 10 1/4"	11' 1 3/4"	10' 10 1/4"	11' 2"	10' 9 1/4"	11' 2 3/4"
10'	9' 10 1/2"	10' 1 1/2"	9' 10 1/2"	10' 1 1/2"	9' 9 3/4"	10' 2 1/4"
9' 1/2"	9' 4 3/4"	9' 7 1/4"	9' 4 3/4"	9' 7 1/2"	9' 4"	9' 8"
9'	8' 10 3/4"	9' 1 1/4"	8' 10 3/4"	9' 1 1/4"	8' 10 1/4"	9' 1 3/4"
8' 1/2"	8' 5"	8' 7"	8' 5"	8' 7 1/4"	8' 4 1/4"	8' 7 1/2"
8'	7' 11"	8' 1"	7' 11"	8' 1"	7' 10 1/2"	8' 1 1/4"
7' 1/2"	7' 5 1/4"	7' 6 3/4"	7' 5 1/4"	7' 7"	7' 4 3/4"	7' 7 1/4"
7'	6' 11 1/4"	7' 0 3/4"	6' 11 1/4"	7' 0 3/4"	6' 11"	7' 1"
6' 1/2"	6' 5 1/2"	6' 6 1/2"	6' 5 1/2"	6' 6 3/4"	6' 5"	6' 7"
6'	5' 11 1/2"	6' 0 1/2"	5' 11 1/2"	6' 0 1/2"	5' 11 1/4"	6' 0 3/4"
5' 3/4"	5' 8 1/2"	5' 9 1/2"	5' 8 1/2"	5' 9 1/2"	5' 8 1/4"	5' 9 3/4"
5' 1/2"	5' 5 1/2"	5' 6 1/2"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 6 1/2"
5' 1/4"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 1/2"
5'	4' 11 3/4"	5' 0 1/4"	4' 11 3/4"	5' 0 1/4"	4' 11 1/2"	5' 0 1/2"
4' 3/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 1/2"	4' 9 1/2"
4' 1/2"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 1/2"	4' 6 1/2"
4' 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
4'	3' 11 3/4"	4' 0 1/4"	3' 11 3/4"	4' 0 1/4"	3' 11 3/4"	4' 0 1/4"
3' 3/4"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"
3' 1/2"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"
3' 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	354' 1"	inf	258' 4"	inf	183' 0 1/2"	inf
150'	105' 6"	264' 3"	95' 0 1/2"	410' 3"	82' 7"	1531' 7"
70'	58' 6 1/2"	87' 7"	55' 2 1/4"	99' 2 3/4"	50' 9"	120' 5 1/4"
60'	51' 4 1/2"	72' 5 1/2"	48' 9 1/2"	80' 2 3/4"	45' 3 1/2"	93' 6 1/4"
50'	43' 10 1/2"	58' 4"	41' 11 3/4"	63' 3"	39' 4 1/2"	71' 2 3/4"
40'	36' 0"	45' 1 3/4"	34' 8 1/2"	48' 0 1/4"	32' 11"	52' 5 1/2"
30'	27' 8 1/2"	32' 9 1/2"	26' 11 1/4"	34' 3 1/4"	25' 10 1/4"	36' 5 1/2"
25'	23' 4 3/4"	26' 10 3/4"	22' 10 1/4"	27' 10 1/2"	22' 0 3/4"	29' 3 3/4"
20'	18' 11 1/2"	21' 2 1/4"	18' 7 1/4"	21' 9 1/2"	18' 1"	22' 7 3/4"
19'	18' 0 3/4"	20' 0 3/4"	17' 8 3/4"	20' 7 1/4"	17' 3 1/4"	21' 4 1/2"
18'	17' 2"	18' 11 1/2"	16' 10 1/2"	19' 5 1/4"	16' 5 1/4"	20' 1 1/4"
17'	16' 3"	17' 10 1/4"	15' 11 3/4"	18' 3 1/4"	15' 7 1/4"	18' 10 1/4"
16'	15' 4"	16' 9"	15' 1 1/4"	17' 1 1/4"	14' 9 1/4"	17' 7 1/2"
15'	14' 5"	15' 7 3/4"	14' 2 1/2"	15' 11 3/4"	13' 11"	16' 5"
14'	13' 6"	14' 6 3/4"	13' 3 3/4"	14' 10"	13' 0 1/2"	15' 2 3/4"
13'	12' 6 3/4"	13' 5 3/4"	12' 5"	13' 8 1/2"	12' 2 1/4"	14' 0 1/2"
12'	11' 7 1/2"	12' 5"	11' 6"	12' 7 1/4"	11' 3 1/2"	12' 10 1/2"
11'	10' 8 1/4"	11' 4"	10' 7"	11' 6"	10' 5"	11' 8 3/4"
10'	9' 9"	10' 3 1/4"	9' 7 3/4"	10' 5"	9' 6 1/4"	10' 7 1/4"
9' 1/2"	9' 3 1/4"	9' 9"	9' 2 1/4"	9' 10 1/2"	9' 0 3/4"	10' 0 1/2"
9'	8' 9 1/2"	9' 2 3/4"	8' 8 1/2"	9' 4"	8' 7 1/4"	9' 5 3/4"
8' 1/2"	8' 3 3/4"	8' 8 1/4"	8' 3"	8' 9 1/2"	8' 1 3/4"	8' 11"
8'	7' 10"	8' 2"	7' 9 1/4"	8' 3"	7' 8 1/4"	8' 4 1/2"
7' 1/2"	7' 4 1/4"	7' 7 3/4"	7' 3 3/4"	7' 8 3/4"	7' 2 3/4"	7' 9 3/4"
7'	6' 10 1/2"	7' 1 1/2"	6' 10"	7' 2 1/4"	6' 9 1/4"	7' 3 1/4"
6' 1/2"	6' 4 3/4"	6' 7 1/4"	6' 4 1/4"	6' 8"	6' 3 1/2"	6' 8 3/4"
6'	5' 11"	6' 1"	5' 10 1/2"	6' 1 3/4"	5' 10"	6' 2 1/4"
5' 3/4"	5' 8"	5' 10"	5' 7 3/4"	5' 10 1/2"	5' 7 1/4"	5' 11 1/4"
5' 1/2"	5' 5"	5' 7"	5' 4 3/4"	5' 7 1/4"	5' 4 1/4"	5' 8"
5' 1/4"	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4 1/4"	5' 1 1/2"	5' 4 3/4"
5'	4' 11 1/4"	5' 0 3/4"	4' 11"	5' 1"	4' 10 1/2"	5' 1 1/2"
4' 3/4"	4' 8 1/4"	4' 9 3/4"	4' 8"	4' 10"	4' 7 3/4"	4' 10 1/2"
4' 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"	4' 5"	4' 7 1/4"
4' 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"	4' 2"	4' 4"
4'	3' 11 1/2"	4' 0 1/2"	3' 11 1/2"	4' 0 3/4"	3' 11 1/4"	4' 1"
3' 3/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"	3' 8 1/4"	3' 9 3/4"
3' 1/2"	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"
3' 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	128' 2 1/4"	inf	89' 7 1/4"	inf	62' 9 1/4"	inf
150'	69' 3 1/4"	inf	56' 2 3/4"	inf	44' 4 3/4"	inf
70'	45' 5"	170' 0 1/4"	39' 5 1/2"	397' 3 1/2"	33' 3"	inf
60'	41' 0"	120' 10"	36' 1"	203' 4 3/4"	30' 10"	5358' 1 1/4"
50'	36' 1 1/4"	86' 0"	32' 2 3/4"	120' 10"	28' 0"	281' 2 3/4"
40'	30' 7 1/4"	60' 0 1/2"	27' 9 1/2"	75' 1 1/4"	24' 7"	116' 1 3/4"
30'	24' 5"	39' 11 1/4"	22' 7 1/4"	46' 0 3/4"	20' 5 1/4"	58' 8 1/2"
25'	21' 0"	31' 6"	19' 7 3/4"	35' 2"	18' 0 1/4"	42' 0 3/4"
20'	17' 4 1/2"	23' 11"	16' 5 1/4"	25' 11 1/2"	15' 3 1/2"	29' 6"
19'	16' 7 1/2"	22' 6"	15' 9 1/4"	24' 3 1/2"	14' 8 1/2"	27' 4 1/4"
18'	15' 10 1/4"	21' 1 1/4"	15' 1"	22' 8"	14' 1 1/4"	25' 3 3/4"
17'	15' 1"	19' 8 3/4"	14' 4 1/2"	21' 1"	13' 5 3/4"	23' 4 1/4"
16'	14' 3 1/2"	18' 4 3/4"	13' 8"	19' 6 3/4"	12' 10 1/4"	21' 6"
15'	13' 5 3/4"	17' 1"	12' 11 1/4"	18' 1"	12' 2 1/2"	19' 8 1/2"
14'	12' 8 1/4"	15' 9 1/2"	12' 2 1/4"	16' 7 1/2"	11' 6 1/2"	18' 0"
13'	11' 10 1/4"	14' 6 1/4"	11' 5"	15' 2 3/4"	10' 10 1/4"	16' 4 1/4"
12'	11' 0 1/4"	13' 3 1/4"	10' 7 3/4"	13' 10 1/2"	10' 2"	14' 9 1/2"
11'	10' 2 1/4"	12' 0 3/4"	9' 10 1/4"	12' 6 1/2"	9' 5 1/4"	13' 3 1/2"
10'	9' 3 3/4"	10' 10 1/4"	9' 0 3/4"	11' 3"	8' 8 1/2"	11' 10"
9' 1/2"	8' 10 3/4"	10' 3 1/4"	8' 7 3/4"	10' 7 1/4"	8' 4"	11' 1 3/4"
9'	8' 5 1/2"	9' 8 1/4"	8' 2 3/4"	9' 11 3/4"	7' 11 1/4"	10' 5 1/4"
8' 1/2"	8' 0"	9' 1 1/4"	7' 9 3/4"	9' 4 1/2"	7' 6 3/4"	9' 9 1/4"
8'	7' 6 3/4"	8' 6 1/4"	7' 4 3/4"	8' 9"	7' 2"	9' 1 1/4"
7' 1/2"	7' 1 1/2"	7' 11 1/2"	6' 11 3/4"	8' 2"	6' 9 1/4"	8' 5 1/2"
7'	6' 8"	7' 4 3/4"	6' 6 1/2"	7' 6 3/4"	6' 4 1/4"	7' 9 3/4"
6' 1/2"	6' 2 1/2"	6' 10"	6' 1 1/4"	6' 11 3/4"	5' 11 1/2"	7' 2 1/4"
6'	5' 9 1/4"	6' 3 1/2"	5' 8"	6' 4 3/4"	5' 6 1/2"	6' 7"
5' 3/4"	5' 6 1/2"	6' 0"	5' 5 1/4"	6' 1 1/2"	5' 3 3/4"	6' 3 1/4"
5' 1/2"	5' 3 1/2"	5' 8 3/4"	5' 2 3/4"	5' 10"	5' 1 1/4"	5' 11 3/4"
5' 1/4"	5' 0 3/4"	5' 5 1/2"	5' 0"	5' 6 1/2"	4' 10 3/4"	5' 8 1/4"
5'	4' 10"	5' 2 1/4"	4' 9 1/4"	5' 3 1/4"	4' 8 1/4"	5' 4 1/2"
4' 3/4"	4' 7 1/4"	4' 11"	4' 6 1/2"	4' 11 3/4"	4' 5 1/2"	5' 1"
4' 1/2"	4' 4 1/2"	4' 7 3/4"	4' 3 3/4"	4' 8 1/2"	4' 3"	4' 9 1/2"
4' 1/4"	4' 1 3/4"	4' 4 1/2"	4' 1"	4' 5 1/4"	4' 0 1/4"	4' 6 1/4"
4'	3' 10 3/4"	4' 1 1/4"	3' 10 1/4"	4' 2"	3' 9 3/4"	4' 2 3/4"
3' 3/4"	3' 8"	3' 10 1/4"	3' 7 1/2"	3' 10 3/4"	3' 7"	3' 11 1/4"
3' 1/2"	3' 5"	3' 7"	3' 4 3/4"	3' 7 1/2"	3' 4 1/4"	3' 8"
3' 1/4"	3' 2 1/4"	3' 3 3/4"	3' 2"	3' 4 1/4"	3' 1 1/2"	3' 4 3/4"



## Schärfentiefentabellen / depth of field tables

Sonnar® T\* 1.7/135

Arri35 Ultra Prime

### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	1325' 9 1/4"	inf	1205' 4 1/4"	inf	785' 9"	inf
200'	173' 9 3/4"	235' 6 1/4"	171' 7"	236' 0 1/4"	159' 5 3/4"	250' 5"
150'	134' 9 1/4"	169' 1 1/2"	133' 5 1/4"	169' 4 1/2"	126' 0 1/4"	176' 8"
100'	93' 0"	108' 1 3/4"	92' 4 1/4"	108' 3"	88' 9"	111' 2 1/4"
70'	66' 6"	73' 10 3/4"	66' 2"	73' 11 1/4"	64' 3 3/4"	75' 3 1/2"
60'	57' 5"	62' 10"	57' 2"	62' 10 1/2"	55' 9 1/4"	63' 10 1/4"
50'	48' 2 1/4"	51' 11 1/2"	48' 0 1/4"	51' 11 3/4"	47' 0 1/2"	52' 7 3/4"
45'	43' 6 1/2"	46' 6 3/4"	43' 4 3/4"	46' 7"	42' 7"	47' 1 1/2"
40'	38' 10"	41' 2 3/4"	38' 8 3/4"	41' 3"	38' 1"	41' 8"
35'	34' 1 1/4"	35' 11 1/4"	34' 0 1/4"	35' 11 1/2"	33' 6 1/4"	36' 3 1/4"
30'	29' 4"	30' 8 1/4"	29' 3 1/4"	30' 8 1/4"	28' 11"	30' 11 1/4"
25'	24' 6 1/2"	25' 5 3/4"	24' 6"	25' 5 3/4"	24' 3"	25' 7 3/4"
20'	19' 8 1/2"	20' 3 1/2"	19' 8 1/4"	20' 3 3/4"	19' 6 1/4"	20' 5"
19'	18' 8 3/4"	19' 3 1/4"	18' 8 1/2"	19' 3 1/4"	18' 6 3/4"	19' 4 1/2"
18'	17' 9 1/4"	18' 3"	17' 9"	18' 3"	17' 7 1/4"	18' 4"
17'	16' 9 1/2"	17' 2 1/2"	16' 9 1/4"	17' 2 3/4"	16' 7 3/4"	17' 3 1/2"
16'	15' 9 3/4"	16' 2 1/4"	15' 9 1/2"	16' 2 1/4"	15' 8 1/4"	16' 3"
15'	14' 10"	15' 2"	14' 9 3/4"	15' 2"	14' 8 3/4"	15' 2 3/4"
14'	13' 10 1/4"	14' 1 3/4"	13' 10 1/4"	14' 1 3/4"	13' 9 1/4"	14' 2 1/4"
13'	12' 10 1/2"	13' 1 1/2"	12' 10 1/2"	13' 1 1/2"	12' 9 1/2"	13' 2"
12'	11' 10 3/4"	12' 1 1/4"	11' 10 3/4"	12' 1 1/4"	11' 10"	12' 1 3/4"
11'	10' 11"	11' 1"	10' 10 3/4"	11' 1"	10' 10 1/4"	11' 1 1/2"
10'	9' 11 1/4"	10' 0 3/4"	9' 11"	10' 1"	9' 10 1/2"	10' 1 1/4"
9' 1/2"	9' 5 1/4"	9' 6 3/4"	9' 5 1/4"	9' 6 3/4"	9' 4 3/4"	9' 7"
9'	8' 11 1/4"	9' 0 3/4"	8' 11 1/4"	9' 0 3/4"	8' 10 3/4"	9' 1"
8' 1/2"	8' 5 1/2"	8' 6 1/2"	8' 5 1/4"	8' 6 3/4"	8' 5"	8' 6 3/4"
8'	7' 11 1/2"	8' 0 1/2"	7' 11 1/2"	8' 0 1/2"	7' 11"	8' 0 3/4"
7' 1/2"	7' 5 1/2"	7' 6 1/2"	7' 5 1/2"	7' 6 1/2"	7' 5 1/4"	7' 6 3/4"
7'	6' 11 1/2"	7' 0 1/2"	6' 11 1/2"	7' 0 1/2"	6' 11 1/4"	7' 0 1/2"
6' 3/4"	6' 8 1/2"	6' 9 1/2"	6' 8 1/2"	6' 9 1/2"	6' 8 1/4"	6' 9 1/2"
6' 1/2"	6' 5 3/4"	6' 6 1/4"	6' 5 1/2"	6' 6 1/4"	6' 5 1/2"	6' 6 1/2"
6' 1/4"	6' 2 3/4"	6' 3 1/4"	6' 2 3/4"	6' 3 1/4"	6' 2 1/2"	6' 3 1/2"
6'	5' 11 3/4"	6' 0 1/4"	5' 11 3/4"	6' 0 1/4"	5' 11 1/2"	6' 0 1/2"
5' 3/4"	5' 8 3/4"	5' 9 1/4"	5' 8 3/4"	5' 9 1/4"	5' 8 1/2"	5' 9 1/4"
5' 1/2"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/4"	5' 5 1/2"	5' 6 1/4"
5' 1/4"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/4"
5'	4' 11 3/4"	5' 0 1/4"	4' 11 3/4"	5' 0 1/4"	4' 11 3/4"	5' 0 1/4"



Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	617' 1 3/4"	inf	465' 7 3/4"	inf	333' 1 1/4"	inf
200'	151' 1 1/4"	296' 1 1/4"	139' 11 1/2"	392' 9"	125' 0 1/4"	674' 2 1/4"
150'	120' 8 1/2"	198' 2 3/4"	113' 6"	237' 3 1/2"	103' 5 3/4"	317' 3"
100'	86' 1"	119' 4"	82' 4 1/4"	132' 5 1/4"	76' 11 1/2"	154' 1"
70'	62' 10 3/4"	78' 11 1/4"	60' 10 1/2"	84' 5 1/2"	57' 10 1/2"	92' 9"
60'	54' 8 1/2"	66' 5 1/4"	53' 2"	70' 3 3/4"	50' 10 1/2"	75' 11 1/2"
50'	46' 3 1/4"	54' 4 3/4"	45' 2"	56' 11 1/4"	43' 6"	60' 7"
45'	41' 11 1/2"	48' 6 1/4"	41' 0 3/4"	50' 6 1/2"	39' 8"	53' 4 3/4"
40'	37' 7"	42' 9"	36' 10 1/4"	44' 3 3/4"	35' 8 3/4"	46' 5 3/4"
35'	33' 1 3/4"	37' 1"	32' 6 3/4"	38' 3"	31' 8 1/4"	39' 10 1/4"
30'	28' 7 1/2"	31' 6 1/4"	28' 2 1/2"	32' 4 1/4"	27' 6 1/2"	33' 6"
25'	24' 0 1/2"	26' 0 1/2"	23' 8 3/4"	26' 7 1/4"	23' 3 1/4"	27' 4 1/2"
20'	19' 4 1/2"	20' 8"	19' 2 1/4"	21' 0 1/4"	18' 10 1/2"	21' 5 3/4"
19'	18' 5 1/4"	19' 7"	18' 3 1/4"	19' 11"	17' 11 3/4"	20' 4"
18'	17' 6"	18' 6 1/4"	17' 4"	18' 9 3/4"	17' 1"	19' 2 1/4"
17'	16' 6 3/4"	17' 5 3/4"	16' 5"	17' 8 3/4"	16' 2 1/4"	18' 0 3/4"
16'	15' 7 1/4"	16' 5"	15' 5 3/4"	16' 7 3/4"	15' 3 1/4"	16' 11 1/4"
15'	14' 7 3/4"	15' 4 1/2"	14' 6 1/2"	15' 6 3/4"	14' 4 1/2"	15' 9 3/4"
14'	13' 8 1/2"	14' 3 3/4"	13' 7 1/4"	14' 5 3/4"	13' 5 1/4"	14' 8 1/2"
13'	12' 9"	13' 3 1/4"	12' 7 3/4"	13' 5"	12' 6 1/4"	13' 7 1/4"
12'	11' 9 1/4"	12' 2 3/4"	11' 8 1/2"	12' 4 1/4"	11' 7 1/4"	12' 6"
11'	10' 9 3/4"	11' 2 1/4"	10' 9"	11' 3 1/2"	10' 8"	11' 5"
10'	9' 10 1/4"	10' 2"	9' 9 1/2"	10' 2 3/4"	9' 8 1/2"	10' 4 1/4"
9'1/2"	9' 4 1/4"	9' 7 3/4"	9' 3 3/4"	9' 8 1/2"	9' 3"	9' 9 3/4"
9'	8' 10 1/2"	9' 1 1/2"	8' 10"	9' 2 1/4"	8' 9 1/4"	9' 3 1/4"
8'1/2"	8' 4 3/4"	8' 7 1/4"	8' 4 1/4"	8' 8"	8' 3 1/2"	8' 9"
8'	7' 10 3/4"	8' 1 1/4"	7' 10 1/2"	8' 1 3/4"	7' 9 3/4"	8' 2 1/2"
7'1/2"	7' 5"	7' 7"	7' 4 3/4"	7' 7 1/2"	7' 4"	7' 8 1/4"
7'	6' 11"	7' 1"	6' 10 3/4"	7' 1 1/4"	6' 10 1/4"	7' 2"
6'3/4"	6' 8 1/4"	6' 9 3/4"	6' 8"	6' 10 1/4"	6' 7 1/2"	6' 10 3/4"
6'1/2"	6' 5 1/4"	6' 6 3/4"	6' 5"	6' 7 1/4"	6' 4 1/2"	6' 7 3/4"
6'1/4"	6' 2 1/4"	6' 3 3/4"	6' 2"	6' 4"	6' 1 3/4"	6' 4 1/2"
6'	5' 11 1/4"	6' 0 3/4"	5' 11 1/4"	6' 1"	5' 10 3/4"	6' 1 1/2"
5'3/4"	5' 8 1/2"	5' 9 1/2"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/4"
5'1/2"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 6 3/4"	5' 5"	5' 7 1/4"
5'1/4"	5' 2 1/2"	5' 3 1/2"	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4"
5'	4' 11 1/2"	5' 0 1/2"	4' 11 1/2"	5' 0 3/4"	4' 11 1/4"	5' 1"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	231' 9 1/4"	inf	160' 7"	inf	111' 9 1/4"	inf
200'	107' 5"	11538' 6 1/2"	89' 1 1/2"	inf	71' 9 1/4"	inf
150'	91' 1 1/2"	569' 4 1/2"	77' 7 1/2"	inf	64' 1 1/2"	inf
100'	69' 11"	196' 3"	61' 8 1/4"	314' 1 3/4"	52' 10 1/4"	2022' 10 1/2"
70'	53' 9 3/4"	106' 6"	48' 9 3/4"	133' 8 1/2"	43' 1 1/4"	208' 7 1/4"
60'	47' 8 1/2"	84' 11"	43' 8 3/4"	101' 4 1/4"	39' 1 1/4"	139' 2 3/4"
50'	41' 2"	66' 2"	38' 2 1/4"	75' 8 1/2"	34' 7 1/4"	94' 11 3/4"
45'	37' 8 1/2"	57' 8"	35' 2 1/2"	64' 9 1/2"	32' 1 3/4"	78' 4 1/2"
40'	34' 1 3/4"	49' 8 1/4"	32' 0 3/4"	54' 10 1/2"	29' 6 1/4"	64' 4"
35'	30' 5 1/4"	42' 2 1/4"	28' 9 1/4"	45' 10 1/2"	26' 8 1/2"	52' 3 1/4"
30'	26' 7"	35' 1 1/2"	25' 3 3/4"	37' 7 1/2"	23' 8 1/2"	41' 10"
25'	22' 7"	28' 5 1/4"	21' 8"	30' 0 3/4"	20' 5 3/4"	32' 8"
20'	18' 5 1/4"	22' 1 1/2"	17' 9 3/4"	23' 1 1/4"	17' 0"	24' 7 1/4"
19'	17' 7"	20' 11"	17' 0 1/4"	21' 9 1/4"	16' 3 1/2"	23' 1 1/4"
18'	16' 8 3/4"	19' 8 1/2"	16' 2 1/2"	20' 5 1/2"	15' 6 1/2"	21' 7 1/2"
17'	15' 10 1/4"	18' 6"	15' 4 3/4"	19' 2"	14' 9 1/2"	20' 2 1/2"
16'	14' 11 3/4"	17' 4"	14' 7"	17' 11"	14' 0 1/2"	18' 9 1/2"
15'	14' 1 1/4"	16' 2"	13' 9"	16' 8"	13' 3 1/4"	17' 5"
14'	13' 2 3/4"	15' 0"	12' 10 3/4"	15' 5 1/4"	12' 5 3/4"	16' 1"
13'	12' 4"	13' 10 1/4"	12' 0 1/2"	14' 2 3/4"	11' 8 1/4"	14' 9 1/4"
12'	11' 5"	12' 8 3/4"	11' 2 1/4"	13' 0 1/4"	10' 10 1/2"	13' 5 3/4"
11'	10' 6 1/4"	11' 7 1/4"	10' 3 3/4"	11' 10 1/4"	10' 0 1/2"	12' 2 3/4"
10'	9' 7 1/4"	10' 6"	9' 5 1/4"	10' 8 1/4"	9' 2 1/2"	11' 0"
9'1/2"	9' 1 3/4"	9' 11 1/4"	9' 0"	10' 1 1/2"	8' 9 1/2"	10' 4 3/4"
9'	8' 8 1/4"	9' 4 3/4"	8' 6 1/2"	9' 6 3/4"	8' 4 1/4"	9' 9 1/2"
8'1/2"	8' 2 1/2"	8' 10 1/4"	8' 1"	9' 0"	7' 11 1/4"	9' 2 1/2"
8'	7' 9"	8' 3 3/4"	7' 7 3/4"	8' 5 1/4"	7' 6"	8' 7 1/2"
7'1/2"	7' 3 1/4"	7' 9 1/4"	7' 2 1/4"	7' 10 1/2"	7' 0 3/4"	8' 0 1/2"
7'	6' 9 3/4"	7' 2 3/4"	6' 8 3/4"	7' 4"	6' 7 1/4"	7' 5 1/2"
6'3/4"	6' 6 3/4"	6' 11 1/2"	6' 6"	7' 0 1/2"	6' 4 3/4"	7' 2"
6'1/2"	6' 4"	6' 8 1/4"	6' 3 1/4"	6' 9 1/4"	6' 2"	6' 10 3/4"
6'1/4"	6' 1 1/4"	6' 5 1/4"	6' 0 1/2"	6' 6"	5' 11 1/4"	6' 7 1/4"
6'	5' 10 1/4"	6' 2"	5' 9 1/2"	6' 2 3/4"	5' 8 3/4"	6' 4"
5'3/4"	5' 7 1/2"	5' 10 3/4"	5' 6 3/4"	5' 11 1/2"	5' 6"	6' 0 1/2"
5'1/2"	5' 4 1/2"	5' 7 3/4"	5' 4"	5' 8 1/4"	5' 3 1/4"	5' 9 1/4"
5'1/4"	5' 1 3/4"	5' 4 1/2"	5' 1 1/4"	5' 5"	5' 0 1/2"	5' 6"
5'	4' 10 3/4"	5' 1 1/4"	4' 10 1/2"	5' 1 3/4"	4' 9 3/4"	5' 2 3/4"



## Schärfentiefentabellen / depth of field tables

### Sonnar® T\* 1.8/180

Arri35 Ultra Prime

#### Tabellen in Feet / tables in feet

Entfernung/ Distance [feet]	T / Aperture					
	1.90		2.00		2.83	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	3598' 3 3/4"	inf	3319' 7 1/4"	inf	2035' 4 1/4"	inf
200'	189' 5 3/4"	225' 1 1/4"	188' 7 3/4"	226' 3 1/2"	182' 1 1/2"	236' 5 1/2"
150'	144' 0"	163' 8"	143' 6 1/4"	164' 3 1/2"	139' 8 3/4"	169' 7"
100'	97' 3 1/2"	105' 10 1/2"	97' 1"	106' 1 3/4"	95' 4"	108' 3 3/4"
70'	68' 8"	72' 9 3/4"	68' 6 3/4"	72' 11 1/4"	67' 8 1/4"	73' 11 1/2"
60'	59' 0 1/4"	62' 0 3/4"	58' 11 1/4"	62' 1 3/4"	58' 3 1/2"	62' 10 1/2"
50'	49' 3 3/4"	51' 5"	49' 3"	51' 5 3/4"	48' 9 3/4"	51' 11 3/4"
45'	44' 5 1/4"	46' 1 3/4"	44' 4 3/4"	46' 2 1/4"	44' 0 1/2"	46' 7"
40'	39' 6 3/4"	40' 10 3/4"	39' 6 1/4"	40' 11 1/4"	39' 2 3/4"	41' 3"
35'	34' 8"	35' 8 1/4"	34' 7 3/4"	35' 8 1/2"	34' 5"	35' 11 1/2"
30'	29' 9"	30' 6"	29' 8 3/4"	30' 6 1/4"	29' 6 3/4"	30' 8 1/4"
25'	24' 10"	25' 4 1/4"	24' 9 3/4"	25' 4 1/4"	24' 8 1/2"	25' 5 3/4"
20'	19' 10 3/4"	20' 2 3/4"	19' 10 1/2"	20' 2 3/4"	19' 9 3/4"	20' 3 1/2"
19'	18' 10 3/4"	19' 2 1/4"	18' 10 3/4"	19' 2 1/2"	18' 10"	19' 3 1/4"
18'	17' 11"	18' 2"	17' 10 3/4"	18' 2 1/4"	17' 10 1/4"	18' 3"
17'	16' 11"	17' 2"	16' 11"	17' 2"	16' 10 1/4"	17' 2 1/2"
16'	15' 11"	16' 1 3/4"	15' 11"	16' 1 3/4"	15' 10 1/2"	16' 2 1/4"
15'	14' 11 1/4"	15' 1 1/2"	14' 11 1/4"	15' 1 1/2"	14' 10 3/4"	15' 2"
14'	13' 11 1/4"	14' 1 1/4"	13' 11 1/4"	14' 1 1/4"	13' 11"	14' 1 3/4"
13'	12' 11 1/2"	13' 1"	12' 11 1/2"	13' 1"	12' 11"	13' 1 1/2"
12'	11' 11 1/2"	12' 1"	11' 11 1/2"	12' 1"	11' 11 1/4"	12' 1 1/4"
11' 1/2"	11' 5 1/2"	11' 6 3/4"	11' 5 1/2"	11' 6 3/4"	11' 5 1/4"	11' 7"
11'	10' 11 1/2"	11' 0 3/4"	10' 11 1/2"	11' 0 3/4"	10' 11 1/4"	11' 1"
10' 1/2"	10' 5 1/2"	10' 6 3/4"	10' 5 1/2"	10' 6 3/4"	10' 5 1/2"	10' 7"
10'	9' 11 3/4"	10' 0 1/2"	9' 11 3/4"	10' 0 1/2"	9' 11 1/2"	10' 0 3/4"
9' 1/2"	9' 5 3/4"	9' 6 1/2"	9' 5 3/4"	9' 6 1/2"	9' 5 1/2"	9' 6 3/4"
9'	8' 11 3/4"	9' 0 1/2"	8' 11 3/4"	9' 0 1/2"	8' 11 1/2"	9' 0 3/4"
8' 1/2"	8' 5 3/4"	8' 6 1/2"	8' 5 3/4"	8' 6 1/2"	8' 5 1/2"	8' 6 1/2"





Entfernung/ Distance [feet]	T / Aperture					
	4.00		5.66		8.00	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	1318' 9 1/4"	inf	952' 5 3/4"	inf	656' 1 1/2"	inf
200'	173' 8 1/2"	252' 4 3/4"	165' 4"	285' 7 3/4"	153' 4 1/4"	343' 4 1/2"
150'	134' 8 3/4"	177' 7 1/2"	129' 7 1/2"	193' 5 1/4"	122' 1 3/4"	218' 3"
100'	92' 11 3/4"	111' 6 1/4"	90' 6 1/4"	117' 6 1/2"	86' 10"	126' 3"
70'	66' 6"	75' 5 1/4"	65' 2 3/4"	78' 1 1/2"	63' 3 1/2"	81' 10 1/2"
60'	57' 5"	63' 11 1/4"	56' 5 1/2"	65' 10 1/4"	55' 0"	68' 6"
50'	48' 2 1/4"	52' 8 1/2"	47' 6 1/4"	54' 0"	46' 6"	55' 9"
45'	43' 6 1/4"	47' 2"	42' 11 3/4"	48' 2 1/2"	42' 1 3/4"	49' 7"
40'	38' 10"	41' 8 1/2"	38' 4 3/4"	42' 6"	37' 8 3/4"	43' 7"
35'	34' 1 1/4"	36' 3 1/2"	33' 9 1/4"	36' 10 3/4"	33' 3"	37' 8 1/4"
30'	29' 4"	30' 11 1/4"	29' 1 1/4"	31' 4 1/2"	28' 8 1/2"	31' 11 1/2"
25'	24' 6 1/2"	25' 7 3/4"	24' 4 1/2"	25' 11 1/4"	24' 1 1/4"	26' 4"
20'	19' 8 1/2"	20' 4 3/4"	19' 7 1/4"	20' 7"	19' 5"	20' 10"
19'	18' 8 3/4"	19' 4 1/2"	18' 7 3/4"	19' 6 1/4"	18' 5 3/4"	19' 9"
18'	17' 9 1/4"	18' 4"	17' 8"	18' 5 3/4"	17' 6 1/2"	18' 8"
17'	16' 9 1/2"	17' 3 1/2"	16' 8 1/2"	17' 5"	16' 7"	17' 7"
16'	15' 9 3/4"	16' 3"	15' 9"	16' 4 1/2"	15' 7 1/2"	16' 6 1/4"
15'	14' 10"	15' 2 3/4"	14' 9 1/4"	15' 4"	14' 8 1/4"	15' 5 1/2"
14'	13' 10 1/4"	14' 2 1/4"	13' 9 3/4"	14' 3 1/4"	13' 8 3/4"	14' 4 3/4"
13'	12' 10 1/2"	13' 2"	12' 10"	13' 2 3/4"	12' 9"	13' 4"
12'	11' 10 3/4"	12' 1 3/4"	11' 10 1/4"	12' 2 1/2"	11' 9 1/2"	12' 3 1/2"
11' 1/2"	11' 5"	11' 7 1/2"	11' 4 1/2"	11' 8 1/4"	11' 3 3/4"	11' 9"
11'	10' 11"	11' 1 1/2"	10' 10 1/2"	11' 2"	10' 10"	11' 2 3/4"
10' 1/2"	10' 5"	10' 7 1/4"	10' 4 3/4"	10' 7 3/4"	10' 4 1/4"	10' 8 1/2"
10'	9' 11 1/4"	10' 1 1/4"	9' 10 3/4"	10' 1 3/4"	9' 10 1/4"	10' 2 1/4"
9' 1/2"	9' 5 1/4"	9' 7"	9' 5"	9' 7 1/2"	9' 4 1/2"	9' 8"
9'	8' 11 1/4"	9' 1"	8' 11"	9' 1 1/4"	8' 10 3/4"	9' 1 3/4"
8' 1/2"	8' 5 1/2"	8' 6 3/4"	8' 5 1/4"	8' 7 1/4"	8' 4 3/4"	8' 7 1/2"



Entfernung/ Distance [feet]	T / Aperture					
	11.31		16.00		22.63	
	von / from	bis / to	von / from	bis / to	von / from	bis / to
inf	443' 9"	inf	301' 5"	inf	206' 11 1/4"	inf
200'	137' 11 1/2"	467' 3 3/4"	120' 4 1/4"	924' 3 1/2"	101' 10 1/4"	inf
150'	112' 2 1/4"	262' 5 1/2"	100' 3 1/4"	363' 2 1/4"	87' 1 1/4"	787' 8"
100'	81' 8 1/4"	139' 10"	75' 2 1/4"	164' 0 1/4"	67' 6 1/2"	216' 7 3/4"
70'	60' 6 1/4"	87' 4 1/4"	56' 10 3/4"	96' 2 1/4"	52' 5"	112' 1 1/2"
60'	52' 11"	72' 3 1/2"	50' 1 1/2"	78' 2 3/4"	46' 7 1/2"	88' 5"
50'	44' 11 3/4"	58' 2 3/4"	42' 11 1/2"	62' 0"	40' 4 1/2"	68' 2 3/4"
45'	40' 10 3/4"	51' 6 1/2"	39' 2 3/4"	54' 5 3/4"	37' 0 3/4"	59' 2 1/2"
40'	36' 8 3/4"	45' 0 3/4"	35' 4 1/2"	47' 3 1/2"	33' 7 1/4"	50' 9 3/4"
35'	32' 5 3/4"	38' 9 3/4"	31' 5"	40' 5 1/4"	30' 0 1/4"	42' 11 3/4"
30'	28' 1 1/2"	32' 9"	27' 4"	33' 10 3/4"	26' 3 1/4"	35' 7 3/4"
25'	23' 8 1/4"	26' 10 1/4"	23' 1 1/2"	27' 7 1/2"	22' 4 1/2"	28' 9 1/4"
20'	19' 2"	21' 2"	18' 9 1/2"	21' 7 1/2"	18' 3 1/2"	22' 3 3/4"
19'	18' 3"	20' 0 1/2"	17' 11"	20' 5 1/2"	17' 5 1/2"	21' 1"
18'	17' 3 3/4"	18' 11 1/4"	17' 0 1/4"	19' 3 1/2"	16' 7 1/4"	19' 10 1/4"
17'	16' 4 3/4"	17' 10"	16' 1 1/2"	18' 1 3/4"	15' 9 1/4"	18' 7 1/2"
16'	15' 5 1/2"	16' 8 3/4"	15' 2 3/4"	17' 0 1/4"	14' 10 3/4"	17' 5 1/4"
15'	14' 6 1/4"	15' 7 1/2"	14' 3 3/4"	15' 10 1/2"	14' 0 1/2"	16' 3"
14'	13' 7"	14' 6 1/2"	13' 5"	14' 9"	13' 2"	15' 1"
13'	12' 7 3/4"	13' 5 1/2"	12' 6"	13' 7 3/4"	12' 3 1/4"	13' 11"
12'	11' 8 1/2"	12' 4 3/4"	11' 6 3/4"	12' 6 1/2"	11' 4 1/2"	12' 9 1/4"
11' 1/2"	11' 2 3/4"	11' 10 1/4"	11' 1 1/4"	12' 0"	10' 11 1/4"	12' 2 1/2"
11'	10' 9"	11' 4"	10' 7 3/4"	11' 5 1/2"	10' 5 3/4"	11' 7 3/4"
10' 1/2"	10' 3 1/4"	10' 9 1/2"	10' 2"	10' 11"	10' 0 1/2"	11' 1"
10'	9' 9 1/2"	10' 3 1/4"	9' 8 1/2"	10' 4 1/2"	9' 7"	10' 6 1/4"
9' 1/2"	9' 3 3/4"	9' 8 3/4"	9' 2 3/4"	9' 10"	9' 1 1/2"	9' 11 1/2"
9'	8' 10"	9' 2 1/2"	8' 9 1/4"	9' 3 1/2"	8' 8"	9' 5"
8' 1/2"	8' 4 1/4"	8' 8 1/4"	8' 3 1/2"	8' 9"	8' 2 1/2"	8' 10 1/4"